THE NEW SCHOOL PSYCHOLOGY BULLETIN

Name of Publication

The New School Psychology Bulletin Vol. 21, No.2, 2024

Frequency: Semi-annually

Office of Publication

The New School for Social Research

80 5th Ave.,

New York, NY 10011

Email: nspbeditors@gmail.com

Website: www.nspb.net Print ISSN: 1931-793x Online ISSN: 1931-7948

Focus and Scope

The articles that appear in NSPB represent the work of students from graduate psychology departments. Published work includes theory, research, literature reviews, and commentaries on the field. NSPB considers articles from all schools of thought on all topics relevant to psychology. NSPB may be particularly attractive to authors whose work does not fit the missions of larger psychology journals, and those looking to gain exposure to academic publishing. NSPB prides itself on publishing the early work of new and budding scholars.

Copyright and Permissions

NSPB is published under a Create Commons Attribution License, in compliance with the definition of Open Access. Reproduction and distribution are permitted under the condition that original authors are credited, and NSPB is acknowledged as the original publisher.

Editors

Amudha Balaraman The New School for Social Research

Elia Goffi

The New School for Social Research

Rebecca Dolgin

The New School for Social Research

Heleen Raes

The New School for Social Research

Layout Editor

Themis Kung

Cover Design

Themis Kung

Copy Editors

Ethan Beberness The New School for Social Research

Isabella Bossom Dalhousie University

Faculty Advisor

Howard Steele, Ph.D The New School for Social Research

Peer Reviewers

Delia Baum

The New School for Social Research

Ethan Beberness

The New School for Social Research

Isabella Bossom Dalhousi University

Jessica Bush

The New School for Social Research

Sarah Chatt

Spalding University

Vivian Goldfield

The New School for Social Research

Sarah Jones

University at Albany

Suzy Lakatos

The New School for Social Research

Aline Martins Lanes

The New School for Social Research

Melissa Major York University

Natalie Martuscello

The New School for Social Research

Sally McHugh

The New School for Social Research

Lila Mularoni Spalding University

Sanghy Ramani Carleton University

Linfei Yang

The New School for Social Research

Contents

Balaraman, Dolgin, Goffi, & Raes	Acknowledgements	page i
Balaraman, Dolgin, Goffi, & Raes	Letter from the Editors	page ii
Jiwani & Hentritze	Assessing the impact of Micro-phenomenology on Memory Specificity and Re-experiencing	page 1
Graham	A Systematic Review of the Relationship Between Event Centrality and Posttraumatic Growth	page 13
Munguldar, Pang, Goffi, & Steele	Embodied Reflection: Emerging Adult Women's Experience in Front of the Mirror	page 35

Acknowledgments

This issue would not have been possible without the myriad contributions from the larger psychology community. We acknowledge the accomplishments of the departing editorial team and welcome the new editors.

We are indebted to each and every one of the individuals listed below, as well as to all of our readers.

First, to our faculty advisor, Dr. Howard Steele, who trusted us to safeguard the legacy of this journal;

To Janiera Warren, without whom our department and journal would cease to function;

To our peer reviewers, whose forthright opinions and expertise allowed us to select the best articles for our journal and whose insights were invaluable in shaping the content of our journal;

To our copy editors whose tireless attention to detail helped us to produce a well-crafted issue;

To Themis Kung, our newly appointed layout editor, whose creative acumen allowed us to improve our journal's aesthetic appeal exponentially;

To all the authors who trusted us with their work—we thank you for your intellect, passion, and patience—

Thank you.

Letter from the Editors

Our team is proud to present Volume 22, Issue 1 of The New School Psychology Bulletin. Given today's climate of political unrest and cultural debates over women's rights, we are grateful for those in academia who add to our understanding of trauma and its far-reaching impacts, as well as document the unique experiences of women. In addition to their shared themes of trauma and the body, these articles represent a range of methodologies and perspectives within psychology.

Jiwani and Henritze describe a micro-phenomenological approach to increasing memory specificity among individuals with post-traumatic stress disorder.

Graham captures the state of current research on the relationship between event centrality and post-traumatic growth with a systematic review.

Lastly, Munguldar, Pang, Goffi, and Steele inform us of the roles of parental and cultural factors in women's body image and sense of self with a qualitative analysis.

This issue also marks some changes within the editorial team. Rebecca Dolgin and Heleen Raes have stepped down from the team after several years of work on the bulletin, and we welcome Olivia Altman and Ethan Beberness in their place. Thank you to all those who contributed to this publication.

Sincerely,

Olivia Altman Amudha Balaraman Ethan Beberness Rebecca Dolgin Elia Goffi Heleen Raes

Assessing the impact of Micro-phenomenology on Memory Specificity and Re-experiencing

Zishan Jiwani¹, Evan Hentritze²

¹UW-Madison

²The New School

Episodic autobiographical memories are associated with the subjective sense of a self as continuous over time. Individuals diagnosed with depression or PTSD show cognitive alterations and maladaptive processes associated with autobiographical memory. One of these impairments is the tendency to recall episodic autobiographical memory with decreased specificity, also known as overgeneralized memory (OGM). OGM is associated with a limited capacity to mentally "time travel" or re-experience the past with vivid sensory and perceptual details. This study aims to assess whether the micro-phenomenological interview (MPI) may be effective in improving overgeneralized memory and access to sensory-perceptual details. MPI is a semi-structured interview that assists participants in directing attention towards visual, auditory, and affective dimensions of experience and focuses on a few seconds of experience within an autobiographical memory. It was hypothesized that the application of the MPI would increase the accessibility of episodic details which, in turn, would lead to the reduction of overgeneralized memory. The efficacy of MPI was assessed relative to the free recall of a positive memory using the Autobiographical Memory Test (AMT) and Autobiographical Memory Questionnaire (AMQ) with adults (N = 7) between ages 24-30. Preliminary results indicate that the MPI led to a significant increase in memory specificity (p < .05) and increases in the re-experiencing of visual imagery (p < .05). These findings demonstrate the potential of the MPI as a clinical tool to improve memory specificity in populations suffering from disorders such as depression and PTSD.

Keywords: micro-phenomenology, memory, overgeneralized memory, autobiographical memory

Assessing the Impact of Micro-Phenomenology on Memory Specificity and Re-Experiencing

Episodic autobiographical memory is considered an important human evolutionary achievement and a central feature associated with the experience of a self that is continuous overtime (Markowitsch & Staniloiu, 2011; Tulving, 2005). Research on episodic autobiographical memories, a term which is used interchangeably with episodic memory, has demonstrated how the self is experienced through space and time (Conway & Jobson, 2012; Markowitsch & Staniloiu, 2011). In their attempt to describe the nature of autobiographical memories, Conway and Pleydell-Pearce (2000) describe three hierarchical levels of representation of autobiographical knowledge: lifetime periods, general events, and event-specific knowledge (ESK), or episodic memories respectively. ESK differs from the other levels of representation as it consists of sensory-perceptual information.

The term was intended to "refer to any highly specific knowledge unique to a single or extended representation of experience(s)" (Conway & Jobson, 2012, pp. 55-6). Williams et al. (2007) describe ESK as experience-near records of sensory-perceptual and conceptual features of experience. Given the importance of visual processing to human cognition, ESK has been described to be mostly conceived and accessed as visual images while also containing other sensory and affective information (Conway, 2009; Conway & Jobson, 2012; Greenberg & Knowlton, 2014).

However, complex episodic memories containing a high degree of detailed sensory-perceptual and affective features are harder to retrieve as it may be difficult to stabilize attention on a single autobiographical episodic memory and produce a verbal description (Petitmengin, 2006). This study explores the nature of episodic memories through the use of a recently developed interview method known as the micro-phe-

nomenological interview (MPI; Petitmengin, 2006) which assists interviewees in exploring and sustaining access to sensorial and affective content of memory and providing a verbal description. It is hypothesized that the MPI will lead to a greater re-experiencing of memory. Additionally, this exploration and sustained access to autobiographical memory is hypothesized to lead to an improvement in episodic specificity of memory and future imagination.

Episodic Autobiographical Memories and Future Imagining

Tulving (2005) argues that only human beings possess the ability to engage in autonoetic consciousness, a phenomenon which describes the awareness of one's existence across time. Through this unique ability, humans can project themselves back into a specific moment in time and reexperience happenings that occurred previously in one's life as well as project oneself into the future and imagine future self-referential events (Klein, 2015; Lehner & D'Argembeau, 2016). Lemogne et al. (2006) described autonoetic consciousness as a) necessary for episodic memory retrieval and b) "the ability to relive subjective experiences from the encoding context by mentally traveling back in time," (p. 260). Episodic memory has also been described as a confluence of autonoetic consciousness, subjective time, and the experience of self (Markowitsch & Staniloiu, 2011). However, a distinction has been drawn between semantic autobiographical memory (such as time and place of birth) and episodic autobiographical memories which presuppose autonoetic consciousness (Markowitsch & Staniloiu, 2011).

Tulving (1985, 2001, 2002) also proposed a relationship between episodic memory and episodic future imagining through the presence of autonoetic consciousness in both constructs. Recent studies have demonstrated neural and cognitive resemblance between episodic memory and episodic future imagining (Addis et al., 2007; Beaty et al., 2019; Schacter et al., 2017). Szpunar (2010) describes episodic future imagining as "the ability to simulate specific personal episodes that may potentially occur in the future." (p. 142). Schacter and Addis (2007) argue that given the neural and functional correlates between episodic memory and episodic future thinking, a shared memory system (SMS) is at work. Thus, understanding the nature of episodic autobiographical memories is important to a deeper understanding of the nature of a continuous individual self which exists in the past and the future (Conway & Jobson, 2012).

In an attempt to develop a process model to better understand episodic autobiographical memory systems, Conway and Pleydell-Pearce (2000) proposed a hierarchical level of SMS, as noted earlier. Acknowledging the similarity between ESK and episodic memory, Conway (2009) further refined the model by suggesting that there

is likely a more complex system at work at this level of the SMS. Within ESK, the most basic unit of memory is described as an episodic element, which is fragmentary sensory perceptual information. This information is rapidly lost unless attached to a conceptual frame (Conway & Jobson, 2012). The combination of a conceptual frame and episodic element constitutes a simple episodic memory whereas a complex episodic memory organizes one or more simple episodic memories together with a common higher order conceptual frame (Conway, 2009). As such, what was previously described as a single layer ESK, is now described as a far more complex, multi-layered structure.

Additionally, while episodic elements may contain a variety of sensory perceptual information, visual imagery has been described as the most important for memory (Greenberg & Knowlton, 2014). Most episodic memories are believed to contain predominantly visual imagery data and visual imagery purportedly can integrate widely distributed memory networks which may facilitate long-term episodic memory (Conway, 2009; Conway & Jobson, 2012). To access this layer of memory, Conway and Pleydell-Pearce (2000) describe a generative retrieval process whereby a top-down search can be activated using a conceptual representation which can lead to the identification of a lifetime period or a general event followed by ESK. The disruption of this search process has been a suggested symptom of emotional disorders (Conway and Pleydell-Pearce, 2000; Williams et al., 2007).

Overgeneralized Memory

Overgeneralization is the disruption of the generative search process whereby it stops before reaching ESK and remains at the level of life or general event (Williams et al., 2007). Many research studies have found that Major Depressive Disorder (MDD) and Post Traumatic Stress Disorder (PTSD) are characterized by retrieval of autobiographical memory in an overgeneralized way (Dalgleish & Werner-Seidler, 2014; Hitchcock et al., 2017; Williams et al., 2007). Attempting to explain the emergence of overgeneralized memory (OGM), Conway and Pleydell-Pearce's (2000) SMS model emphasizes the impact of the working self, whereby a person's past knowledge as well as current and future goals inhibit access to autobiographical memories that do not align with self-views. Williams et al., (2007) proposed a new model which considers OGM as a consequence of maladaptive processes such as capture and rumination, functional avoidance, and impairments in executive control.

OGM is typically measured using a cueing methodology, whereby participants are provided with cue words that vary in their emotional valence and asked to recall an autobiographical episodic memory that is specific to a single time and place (Williams et al., 2007). Those exhibiting OGM typically tend to recall categorical memories (events that have occurred multiple times) or overgeneralized memories (memories that describe a period longer than a single day) rather than a specific memory (Brown et al., 2013). The impact of OGM is not limited to memory but also episodic future thinking, which is the act of imagining future events. Miloyan et al. (2014) propose the Reconstructive Memory Model (RMM), which suggests that the future imagining is dependent on the nature of present episodic retrieval. In other words, how we recall memories (overgeneralized or not) impacts future imagining, and thus improving OGM can have a dual effect on improving both memory and future imagining specificity. OGM may also have a causal link with other psychological functions including impaired problem solving and increased risk of onset and slower recovery from affective disorders (Dalgleish & Werner-Seidler, 2014; Williams et al., 2007). Additionally, overgeneralized memory is considered an important phenomenon because of its presence in individuals with a history of emotional disorder even if the individual is not currently experiencing an episode and thus might indicate a future vulnerability to such disorder (Williams et al., 2007).

There is limited evidence that Cognitive Behavioral Therapy (CBT) resolves overgeneralized memory (Barry et al., 2019) and, as such, a number of new interventions have been developed that target specific impairments such asto attention and memory to treat and prevent affective disorders. These include memory specificity training (Raes et al., 2009), concreteness training (Watkins et al., 2009), mindfulness training (Heeren et al., 2009), competitive memory training (Korrelboom et al., 2009), imagery-based training of future autobiographical episodes (Blackwell & Holmes, 2010), life review/reminiscence therapy (Arean et al., 1993), and episodic specificity induction (McFarland et al., 2017). A number of studies focused on healthy populations have demonstrated underlying mechanisms that drive improvements in specificity such as increased cognitive flexibility (Heeren et al., 2009) and improved executive function (Madore & Schacter, 2014). Many of these interventions support the participants in improving access to episodic details of memories.

Even amongst a healthy population, accessing, sustaining access to, and verbally describing episodic details or subjective experience can be incredibly challenging for several reasons. First, stabilizing attention on a concrete experience beyond a few moments is incredibly difficult as objects or images in a memory may cue other memories and divert attention (Petitmengin, 2006). This is particularly challenging for depressed and dysphoric individuals who are likely to have their atten-

tion captured by ruminative thinking (Williams et al., 2007). Second, while describing memories, one tends to focus on what might be referred to as the "satellite dimensions" of experiences, such as conceptual or procedural knowledge, evaluations, or commentaries, rather than the internal process of the experience (Cavaletti & Heimann, 2019; Petitmengin, 2006). This is supported by Conway's (2009) model which hypothesizes that episodic elements are attached to a conceptual frame. As such, in retrieving memories, one often recalls the conceptual aspect of the memory without fully exploring the episodic elements attached to the conceptual frame. Third, even if attention is stabilized and the focus is on the inner experience, it may be difficult to know what to focus on within the inner experience without training and understanding of various sensory-perceptual and transmodal dimensions of experience (Petitmengin, 2006, 2007). Petitmengin (2007) describes the transmodal dimension as characteristics of experience (such as intensity or rhythm) that are not tied to a specific sense but rather can be experienced across multiple senses. This may be especially true for autobiographical memories laden with emotion. In a comparison of freely recalled memories versus memories recalled via cognitive interview, Engelberg and Christianson (1999) demonstrated a persistent underestimation of emotional intensity in the free recall of memory versus the cognitive interview. As such, a guided interview may help expand access to more sensory-perceptual data from autobiographical episodic memories.

Micro-phenomenology Interview

One tool that has not yet been tested to improve OGM micro-phenomenological interview (MPI). Initially developed as an elicitation interview by Vermersch (1999), the MPI is a technique to guide a person to recall a very specific experience and examine it with great precision (Valenzuela-Moguillansky, 2013). The interview method has been used in the context of cognitive science (Braboszcz, 2012) to better understand mind wandering, a term used to describe drifting of attention when trying to focus. It has also been used in pedagogical settings (Maurel, 2009), to study meditation (Petitmengin et al., 2019a), and in clinical fields (Petitmengin et al., 2007; Valenzuela-Moguillansky, 2013). The MPI begins with the assumption that a large part of our experience is unnoticed. The experience of touching or seeing an object, listening to music, imagining or remembering something is largely difficult to access for reflection or verbal description. Our conscious minds are focused on the object or content of our attention. The difficulty of access is not because access to this experience is out of reach but that accessing it requires certain expertise. The MPI was developed in order to assist those being interviewed to become more aware

and describe precisely the unrecognized part of their experience (Petitmengin, 2006; Petitmengin et al., 2019b; Valenzuela-Moguillansky, 2013).

The MPI is conducted as a one-on-one interview with a trained micro-phenomenological nterviewer. A micro-phenomenological interview begins with identifying an epoché or bracketing (developed by German philosopher Edmund Husserl) by helping participants select a very specific moment in time and place (which may last just a few seconds) and exploring the sensory dimensions of this specific experience (Beyer, 2018; Petitmengin, 2006; Vermersch, 1999). Once a specific moment is chosen, the interviewee is supported into an evocation state whereby a given past experience is recalled as if re-enacted from an "embodied position" (Vermersch, 2009). The goal of the evocation is to mentally time travel to the experience being described and for that experience to become more vivid than the present moment. This vividness is achieved by retrieving the temporal and spatial context followed by the visual, auditory and tactile sensations associated with the experience (Petitmengin et al., 2019b). The level of evocation of the interviewee can be measured by the interviewer using previously identified non-verbal, verbal, and para-verbal markers (Petitmengin, 2006; Valenzuela-Moguillansky, 2013). Once the evocation state has been established, the interviewer can ask questions to create an outline of the temporal evolution of a memory followed by directing attention to finer levels of the episodic element. These processes have been described as diachronic and synchronic dimensions of experience, respectively (Valenzuela-Moguillansky, 2013). The diachronic dimension is engaged by asking questions that assist the participant in explaining the unfolding of the experience. These questions, such as "How did you start?" and, "What happened then?" are used to better understand the progression within the epoché. The questions exploring the synchronic dimension focus on a specific moment of the unfolding (Petitmengin et al., 2019b).

Exploring the finer dimensions of experience may also involve exploring the sensory dimension of abstract emotions through questions to locate and/or describe the sensory experience of emotion. For example, if an interviewee describes feeling sadness in an experience, the interviewer might ask, "Is this sadness located somewhere?" or, "When you feel sad, what do you feel?" The questions in the MPI method are "content-free," in that the interviewer does not introduce any new language or make any inferences in asking about the experience (Petitmengin, 2006). It is likely and expected that the interviewee may revert to the satellite dimensions during the interview and is gently guided back to the internal processing of the chosen experience (Cavaletti &

Heimann, 2019; Valenzuela-Moguillansky, 2013). The iterative structure of the MPI is designed to ensure consistent evocation of the experience.

Relative to free recall, the MPI may be better suited for the experience of assisting participants in accessing autonoetic experience or mentally time traveling into episodic autobiographical memories for several reasons. First, the MPI method supports participants to direct attention beyond the visual dimension of episodic elements as suggested by Conway (2009) towards other sensory content such as the auditory dimension and body positioning and sensations. Conway and Pleydell-Pearce (2000) cite a number of studies where the more sensory detail available for recall, the greater likelihood of accuracy in recall of autobiographical memories. The use of the MPI method has been shown to improve the accuracy of recall and decision-making processes relative to free recall (Petitmengin et al., 2013). The MPI supports participants in bringing attention to and expanding the sensory understanding of what Williams et al. (2007) describe as "conceptual-affective" components of experience. Second, the MPI begins with the generation of an evocation which helps stabilize attention on a single memory and avoids interviewees from being able to use a cue from one memory to jump to another memory or experience. Third, the MPI helps interviewees from veering into the satellite or conceptual dimensions of a memory whereby the participant may speak about the conceptual frame of a memory rather than the sensory perceptual content of the episodic element. Finally, unlike other tools such as mindfulness-based interventions, the MPI method helps participants in producing a verbal description of the sensations and mental contents, something which requires guided support and training (Petitmengin, 2006).

Given the intensive and embodied nature of the MPI exploration into autobiographical memories, the experience of MPI may serve as an episodic specificity induction. While other methods such as memory specificity training (Raes et al., 2009) and concreteness training (Watkins et al., 2009) focus on training participants to focus on specific memory retrieval which lasts less than a day, participants in a MPI are trained to direct their attention precisely on just a few seconds of experience. Training the mind towards more specificity has shown to reduce symptoms of depression (Watkins et al., 2009) and a logical hypothesis might be that greater specificity and precision may lead to an increased reduction in symptoms. Additionally, by directing attention beyond the visual dimension, interviewees may expand cognitive flexibility by expanding attentional awareness beyond habitual patterns as well as expanding the capacity of awareness, a key component of increasing cognitive flexibility (Martin & Rubin, 1995). Cognitive

flexibility has shown to explain some of the impact of mindfulness training on improving memory specificity (Heeren et al., 2009). Finally, similar to guided mindfulness training, the MPI helps participants direct attention towards sensations, thoughts, and emotions. However, unlike mindfulness training, the MPI also assists participants, as stated above, in producing a verbal description.

The Current Study and Hypotheses

Given the potential of the MPI in improving the exploration of episodic autobiographical memories, the current study aims to assess the impact of the MPI on enhancing autonoetic consciousness, episodic specificity of memories, and future imaginations relative to free recall of memories. This pilot study included participants from the community and utilized positive memories. Four hypotheses were tested as part of this study and are described below.

The first hypothesis (H1) is that the MPI will improve the autonoetic consciousness in participants relative to free recall. In other words, participants will have a greater sense of re-experiencing a past event after the MPI. The rationale for this hypothesis is multifold. First, the MPI allows participants to stay close to the experience of the memory and avoid the satellite dimensions such as describing the context, procedural knowledge, judging, or commenting on the experience (Cavaletti & Heimann, 2019; Petitmengin, 2006). Second, the MPI will also assist participants in staying with a memory and not using a cue from one memory to jump off to another memory. Thus, the ability to stay with the experience of a memory for a longer duration is hypothesized to improve autonoetic consciousness.

The second hypothesis (H2) assessed in this study is that the MPI will improve access to sensory perceptual and affective content of memories. Specifically, this study assesses participants' awareness of visual, auditory, and emotional dimensions of experience in a memory. This is hypothesized because the evocation component of the MPI directs and guides participants to retrieve the sensory and perceptual content of memories. Additionally, Conway (2009) and Conway and Pleydell-Pearce (2000) point out that the nature of ESK or episodic elements is predominantly visual. While visual content may be easier to access, this study aims to further this theory and contend that other dimensions and content of memories exist but are difficult to access without guidance. Engelberg and Christianson (1999) point out that free recall of autobiographical memories led to underestimates of emotional intensity while a guided interview led to a more accurate recall of emotional intensity.

The third hypothesis (H3) is that the MPI will improve episodic specificity in memories and future imaginations in unrelated autobiographical memories

and imaginations. This was hypothesized because the MPI induces participants to explore sensory and affective components of memory in a highly specific way, focusing only on a few seconds of experience. Additionally, it assists participants in stabilizing attention which is more difficult to achieve with free recall. The high degree of specificity and attention that is practiced with the MPI is believed to improve participants' capacity to recall memories and project imaginations with more specificity.

The fourth and final hypothesis (H4) is that the improvement in autonoetic consciousness or experience of reliving a memory will be correlated with the improvement in specificity. This hypothesis is based on the assumption that support for H1 and H3 will be found. The demonstration of H1 may be an indicator of whether the MPI was effective in the induction of autonoetic consciousness and that induction may lead to an improvement in episodic specificity more broadly.

Method

Participants

Due to the lockdown caused by the proliferation of COVID-19, data from only seven participants (4 female) were collected relative to the initially anticipated 25 participants. Participants were recruited either through social media or flyers. Any adult who spoke English was eligible to participate in the study. Participants expressed interest via email and were scheduled for the study via email. All participants were students at The New School and received either a \$20 gift card or research credits for participation. Sample demographics are reported in Table 1. The age of the participants ranged from 24-30 years (M = 26.7, SD = 2.56). Fifty-seven percent (n = 4)

 Table 1

 Sample Demographic Characteristics

Variable	$N = 7^1$
Age	26.71 (2.56)
Male	3 (42.86%)
Non-Hispanic White	2 (28.57%)
Asian	4 (57.14%)
Multiracial	1(14.29%)
College	7 (100%)
Income	
Less than \$20,000	4 (57.14%)
\$50,000-\$74,999	2 (28.57%)
\$75,000 - \$99,999	1(14.29%)
Note. Mean (SD); n (%); College	= Bachelor's degree or above

described themselves as Asian, 28% (n = 2) as white, and 14% (n = 1) as multiracial. All participants confirmed that English is their primary language.

Measures

Autobiographical Memory Questionnaire (AMQ).

The AMQ was developed by Fitzgerald and Broadbridge (2013) to better understand and explore the phenomenological properties of episodic autobiographical memories. The AMQ is based on a theoretical model that tests four latent constructs of belief, recollection, impact, and rehearsal. Of the four, recollection was the construct most relevant in this study as it assessed the self-reported phenomenological experience of autonoetic consciousness as proposed by Tulving (1972). As part of this construct, the authors include the experience of reliving, traveling back in time, seeing, hearing, and emotionally embodying the memory in question. In order to fit the needs of this study, the instructions in the AMQ were modified. The original AMQ instructed participants to imagine a past stressful memory. The instructions for the present study asked participants to report on their experience recalling a memory during the experiment. An acceptable level of internal consistency was demonstrated ($\alpha_1 = .76$).

The Autobiographical Memory Test (AMT).

The AMT was also applied in this study to assess episodic specificity. Introduced by Williams and Broadbent (1986) in their study to assess memory-mood phenomena, the AMT aims to assess memory specificity by offering valenced cue words to participants and asking them to retrieve specific memories that occur at a specific time and in a specific place and that did not last more than 24 hours. Participants suffering from overgeneralized memory tend to respond to these instructions with either categoric memories, which are memories that happen repeatedly, or overextended memories, which refer to events that last longer than a day (van Vreeswijk & de Wilde, 2004). Six positive and six negative valenced cue words were used to assess memory specificity and an additional six positive, and six negative valenced cue words were used for future imaginations. The words were drawn from previous studies on the AMT (Dritschel et al., 2014) and Affective Norms for English Words (ANEW): Instruction Manual and Affective Ratings (Bradley & Lang, 1999). The memories and future imaginations were coded as either specific (score of 2), not specific (score of 1), or non-answer/non-response (0). To assess inter-rater reliability, 28% of the responses were re-coded by an independent coder blind to the two conditions (free recall, MPI). An acceptable level of inter-rater reliability was found ($\alpha_1 = .75$).

Experimental Procedure and Analysis

The experiment lasted approximately 90 minutes per participant. Participant responses were collected via Qualtrics. The experiment began with participants first providing consent and then demographic information. Next, participants were instructed to provide free recall of a specific positive memory from their recent past. To encourage specificity, participants were instructed to share a memory that they directly experienced at one time and in one place and asked to provide as much detail as possible (see free recall script in the Appendix). After completing the free recall, participants were given a math filler and asked to complete the AMQ and AMT, respectively, for the memory that they shared during the recall. After completing the AMQ and AMT, participants were given another math filler before the MPI was conducted. The MPI was conducted using a different positive memory from their recent past. Participants were instructed that they were free to not respond to any question and/or stop the interview at any time for any reason (see MPI script in the Appendix). At the conclusion of the MPI, participants were given another math filler followed by the AMQ using the memory explored through the MPI and the AMT for memory and future imaginations. All procedures were reviewed and approved as part of a supervised research methods class. Paired-sample t-tests were conducted to test H1-H3 and a correlational analysis was conducted to test H4. All analyses were carried out using statistical software SPSS.

Results

The skewness and kurtosis of the average score on the cue-word memory test after free recall (n(7),skew = .361, SE = .794, kurtosis = -.738, SE = 1.587) and after the MPI (n(7), skew = -.556, SE = .794,kurtosis = -2.234, SE = 1.587) were higher than the acceptable average. See Table 2 for a summary of results from the first hypothesis (H1). H1, which posited that the MPI will improve the autonoetic consciousness in participants relative to free recall, was supported. Participants reported a significant increase in the experience of reliving the original event ($M_{\text{diff}} = -1.571$, SD = 1.134, 95% CI [-.2.620, -.523]), t(6) = -3.667, p = .010) and traveling back in time ($M_{\text{diff}} = -1.429$, SD = 1.397, 95% CI [-.2.721, -.136]), t(6) = -2.705, p = .035). H2, which predicted that the MPI will improve access to sensory perceptual and affective content of memories relative to free recall was partially supported. The experience of seeing the memory was significant $(M_{\text{diff}} = -.571, SD = .535, 95\% \text{CI}[-1.066,$ -.077]), t(6) = -2.828, p = .030), while the experience of hearing the event was not significant ($M_{\text{diff}} = -.571$, SD = 2.507, 95% CI [-.2.890, 1.747]), t(6) = -.603, p= .569), and

Table 2	
Paired Samples Test Assessing Difference in Perceived Autonoetic Consciousness.	

Item	Mean	SD	t	p
Reliving the Original Event	-1.571	1.134	-3.667	.010
Traveling back and participating in the event	-1.42857	1.39728	-2.705	.035
Seeing the Event in the mind	571	.535	-2.828	.030
Experiencing the event spatially	286	.756	-1.000	.356
Feeling the Emotions that were felt then	429	1.988	570	.589
Hearing the Event in the mind	571	2.507	603	.569

Note. SD = Standard Deviation; df = 6 for all comparisons.

 Table 3

 Paired Sample T-Tests comparing AMT after free recall and MPI

AMT Categories	Mean	SD	t	p
Past Positive	-0.43	0.32	-3.58	0.012
Past Negative	-0.14	0.18	-2.12	0.078
Past Total	-0.29	0.23	-3.29	0.017
Future Positive	-0.14	0.33	-1.16	0.289
Future Negative	-0.05	0.13	-1.00	0.356
Future Total	-0.10	0.21	-1.19	0.28

Note. SD = Standard Deviation; df = 6 for all comparisons.

neither was a question around feeling the emotions that were felt ($M_{\rm diff}$ = -.429, SD = 1.988, 95% CI [-2.267, 1.410]), t(6) = -.57-, p = .589). However, in attempt to gain a comprehensive view, the recollection construct as described by Fitzgerald and Broadbridge (2013), which included reliving, time travel, seeing, hearing, and emotion, was averaged and a t-test was conducted to compare the mean responses on this construct versus free recall, which was found to approach significance ($M_{\rm diff}$ = -.91429, SD = .99235, 95% CI [-1.832, .00349]), t(6) = -2.438, p = .051).


H3, which predicted that the MPI would improve episodic specificity in memories and future imaginations in unrelated autobiographical memories compared to free recall, was also partially supported. Looking at past memories, specificity improved significantly in participant recall of positively valenced memories ($M_{\text{diff}} = -.428$, SD = .317, 95% CI [-.721, -.135]), t(6) = -3.567, p = .012) and specificity in improving negatively valenced memories approached significance ($M_{\text{diff}} = -.142$, SD = .178, 95% CI [-.30764, -.021]), t(6) = -2.121, p = .078). Looking at the total AMT, specificity improved significantly relative to free recall ($M_{\text{diff}} = -.285$, SD = .230, 95% CI [-.498, -.072]), t(6) = -3.286, p = .017, see Figure 1). Episodic specificity in future imaginations did show a mean improvement but it

was not statistically significant for the positively valenced cue words ($M_{\rm diff}$ = -.142, SD = .325, 95% CI [-.443, .158]), t(6) = -1.162, p = .289), negatively valenced cue words ($M_{\rm diff}$ = -.047, SD = .125, 95% CI [-.164, .068]), t(6) = -1.00, p = .356), or overall average ($M_{\rm diff}$ = -.095, SD = .212, 95% CI [-.291, .101]), t(6) = -1.188, p = .280). See Table 3 for a summary of the results.

Finally, H4 proposed that the improvement in autonoetic consciousness or experience of reliving a memory would be associated with the improvement

Figure 1

Avg AMT score difference for past memories



in specificity. Although statistically significant support for H4 was not found, average AMT scores appeared to correlate negatively with the average total recollection score, contrary to the predicted direction (n = 7, r = -.727, p = .064).

Sensitivity Analysis

Given the small sample size and resulting high skew and kurtosis, we also ran the Wilcoxon's rank-sum tests which is a non-parametric test, in addition to the t-tests. The results did not change such that all significant findings were the same for both t-tests and Wilcoxon's rank-sum tests.

Discussion

Despite a small sample size, several important findings have emerged from this study. The aim of this study was to assess whether the MPI may be able to assist in improving access to autonoetic sensory recollection of episodic memories and reduce OGM by improving episodic specificity. The MPI did improve autonoetic consciousness in participants relative to free recall, as participants' responses to traveling back in time and reliving the experience significantly improved. Autonoetic consciousness is a critical element necessary for episodic memory retrieval and improvement in participant's ability to travel back in time is likely to improve retrieval of memories (Conway & Jobson, 2012; Lemogne et al., 2006). The second hypothesis was partially supported as participants significantly improved in accessing visual imagery but were not able to improve their experience of auditory or emotional recall significantly. The finding of improvement in access to visual imagery aligns well with Conway's (2009) argument that episodic memories are often stored and represented in the form of visual images. Thus, if episodic memories are visually dominated, then the improvement in visual imagery using the MPI relative to free recall makes sense. Improvement in access to emotional and auditory dimensions was not significant, though both factors were showing trends of improvement. Post-hoc power analysis suggests that the study with the present sample size was only powered to detect large differences. Finally, the recollection subscale developed by Fitzgerald and Broadbridge (2013) showed a trend toward an improvement in the MPI relative to free recall. Overall, a larger sample size may demonstrate that MPI improves autonoetic consciousness and access to sensory-perceptual data. Future research may want to assess whether improvement in self-reported autonoetic consciousness is accompanied by improved executive functioning as has been seen in episodic specificity inductions in other studies (Jing et al., 2016, 2020;

Madore et al., 2019). Additionally, capturing physiological data such as heart rate variability or assessing for interoceptive awareness may also explain the underlying mechanisms associated with improved autonoetic recollection.

The third hypothesis was also partially supported. The current study found that episodic specificity significantly improved after the MPI when recalling past memories using the AMT cue word paradigm. These results demonstrate the potential of the MPI as a useful tool in improving episodic specificity in a community sample. Looking at the results, specificity improved more with positively valenced cue words relative to negatively valenced cue words. This may be due to the fact that the MPI and free recall memory tasks asked participants to recall positive memories. However, the study did not show a significant improvement in episodic specificity in future imaginations. This may be due to a number of reasons. First, the sample size in the study might be too small to capture an effect. Second, as the MPI induced a memory, the impact on future imagining may be less than on memories. Finally, the study design had ordered the past cue-words before the future cue-words and that may have led to some participant fatigue. Counterbalancing past and future may have yielded different results.

The final hypothesis, which attempted to identify the improvement in self-reported autonoetic recollection as an underlying mechanism for improvement in episodic specificity, was not supported. This may imply that improvement in self-reported autonoetic consciousness and accessing more sensory perceptual data does not lead to an improvement in memory specificity. However, this result may also be due to different mechanisms at play within the MPI in improving autonoetic consciousness and episodic specificity. Finally, this result may also be due to the small sample size.

The findings have important implications for research and clinical practice. From a research perspective, the findings build on the work by Engelberg and Christianson (1999) which suggests that guided interviews may help access greater memory content relative to free recall of memories. Additionally, given that visual recall improved in participants following the MPI supports prior work which contends that visual imagery may be critical to how autobiographical and long-term memory is stored. From a clinical perspective, this study demonstrates that the MPI may be able to improve autonoetic sensory recollection and episodic specificity. Our findings provide preliminary evidence for a novel clinical method that can be integrated into future interventions for several memory-related psychopathologies including depression and PTSD. By applying commonly used measures for autobiographical memory not previously assessed in prior work with the MPI, the findings from the current study contribute to the growing body of literature on micro-phenomenology and its potential for clinical utility.

Limitations and Future Directions

The major limitation of this study was the sample size. The small sample size led to greater skewness and kurtosis in some of the assessed variables. This limitation can be addressed by increasing the size of the sample, which may lead to a more normal distribution of data. Our study provides the basis for several lines of future research. First, comparisons between inducing negative or neutral memory with the MPI on positively or negatively valenced cues may indicate ways to reduce avoidance of negative memories. Additionally, future studies might focus on the impact of the MPI on clinical populations (such as people with depression, PTSD, and/or anxiety) to assess if similar results are found. A comparison of the MPI to other inductions such as the episodic specificity induction (Jing et al., 2016, 2019;

References

- Addis, D. R., Wong, A. T., & Schacter, D. L. (2007). Remembering the past and imagining the future: Common and distinct neural substrates during event construction and elaboration. *Neuropsychologia*, 45(7), 1363–1377.https://doi.org/10.1016/j.neuropsychologia.2006.10.016
- Arean, P. A., Perri, M. G., Nezu, A. M., Schein, R. L., Christopher, F., & Joseph, T. X. (1993). Comparative effectiveness of social problem-solving therapy and reminiscence therapy as treatments for depression in older adults. *Journal of Consulting and Clinical Psychology*, 61(6), 1003.
- Barry, T. J., Sze, W. Y., & Raes, F. (2019). A meta-analysis and systematic review of Memory Specificity Training (MeST) in the treatment of emotional disorders. *Behaviour Research and Therapy*, 116, 36–51. https://doi.org/10.1016/j.brat.2019.02.001
- Beaty, R. E., Seli, P., & Schacter, D. L. (2019). Thinking about the past and future in daily life: An experience sampling study of individual differences in mental time travel. *Psychological Research*, *83*(4), 805–816. https://doi.org/10.1007/s00426-018-1075-7
- Beyer, C. (2018). Edmund Husserl. In E. N. Zalta (Ed.), *The Stanford Encyclopedia of Philosophy* (Summer 2018 Edition). Metaphysics Research Lab, Stanford University.
 - $https://plato.stanford.edu/archives/sum2018/entries/\\ husserl/$

- Blackwell, S. E., & Holmes, E. A. (2010). Modifying interpretation and imagination in clinical depression: A single case series using cognitive bias modification. *Applied Cognitive Psychology*, 24(3), 338–350. https://doi.org/10.1002/acp.1680
- Braboszcz, C. (2012). Study of the electroencephalographic correlates of mind wandering and meditation [Doctoral dissertation, Université Paul Sabatier -Toulouse III].
 - https://tel.archives-ouvertes.fr/tel-00739681
- Bradley, M. M., & Lang, P. J. (1999). *Affective Norms for English Words* (ANEW): Instruction Manual and Affective Ratings (p. 49). University of Florida.
- Brown, A. D., Root, J. C., Romano, T. A., Chang, L. J., Bryant, R. A., & Hirst, W. (2013). Overgeneralized autobiographical memory and future thinking in combat veterans with posttraumatic stress disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 44(1), 129–134. https://doi.org/10.1016/j.jbtep.2011.11.004
- Cavaletti, F., & Heimann, K. (2019). Longing for tomorrow: Phenomenology, cognitive psychology, and the methodological bases of exploring time experience in depression. *Phenomenology and the Cognitive Sciences*. https://doi.org/10.1007/s11097-018-09609-y
- Conway, M. A. (2009). Episodic memories. *Neuropsychologia*, 47(11), 2305–2313. https://doi.org/10.1016/j.neuropsychologia.2009.02.003
- Conway, M. A., & Jobson, L. (2012). On the nature of autobiographical memory. In D. Berntsen & D. C. Rubin (Eds.), *Understanding Autobiographical Memory* (pp. 54–69). Cambridge University Press. https://doi.org/10.1017/CBO9781139021937.006
- Conway, M. A., & Pleydell-Pearce, C. W. (2000). The construction of autobiographical memories in the self-memory system. *Psychological Review*, *107*(2), 261. https://doi.org/10.1037/0033-295X.107.2.261
- Dalgleish, T., & Werner-Seidler, A. (2014). Disruptions in autobiographical memory processing in depression and the emergence of memory therapeutics. *Trends in Cognitive Sciences*, 18(11), 596–604.
- https://doi.org/10.1016/j.tics.2014.06.010
- Dritschel, B., Beltosis, S., & McClintock, S. M. (2014). An 'alternating instructions' version of the Autobiographical Memory Test for assessing autobiographical memory specificity in non-clinical populations. *Memory (Hove, England)*, 22(8), 881–889.
 - https://doi.org/10.1080/09658211.2013.839710
- Fitzgerald, J. M., & Broadbridge, C. L. (2013). Latent constructs of the Autobiographical Memory Questionnaire: A recollection-belief model of autobiographical experience. *Memory*, 21(2), 230–248. https://doi.org/10.1080/09658211.2012.725736

- Greenberg, D. L., & Knowlton, B. J. (2014). The role of visual imagery in autobiographical memory. *Memory & Cognition*, 42(6), 922–934.
 - https://doi.org/10.3758/s13421-014-0402-5
- Heeren, A., Van Broeck, N., & Philippot, P. (2009). The effects of mindfulness on executive processes and autobiographical memory specificity. *Behaviour Research and Therapy*, *47*(5), 403–409. https://doi.org/10.1016/j.brat.2009.01.017
- Hitchcock, C., Werner-Seidler, A., Blackwell, S. E., & Dalgleish, T. (2017). Autobiographical episodic memory-based training for the treatment of mood, anxiety and stress-related disorders: A systematic review and meta-analysis. *Clinical Psychology Review*, 52, 92–107. https://doi.org/10.1016/j.cpr.2016.12.003
- Jing, H. G., Madore, K. P., & Schacter, D. L. (2016). Worrying about the future: An episodic specificity induction impacts problem solving, reappraisal, and well-being. *Journal of Experimental Psychology: General*, 145(4), 402–418.
 - https://doi.org/10.1037/xge0000142
- Jing, H. G., Madore, K. P., & Schacter, D. L. (2020). Not to worry: Episodic retrieval impacts emotion regulation in older adults. *Emotion*, 20(4), 590-604. https://doi.org/10.1037/emo0000581
- Klein, S. B. (2015). What memory is. *Wiley Interdisciplinary Reviews: Cognitive Science*, 6(1), 1–38. https://doi.org/10.1002/wcs.1333
- Korrelboom, K., van der Weele, K., Gjaltema, M., & Hoogstraten, C. (2009). Competitive memory training for treating low self-esteem: A pilot study in a routine clinical setting. *The Behavior Therapist*, *32*(1), 3–8.
- Lehner, E., & D'Argembeau, A. (2016). The role of personal goals in autonoetic experience when imagining future events. *Consciousness and Cognition*, 42, 267–276. https://doi.org/10.1016/j.concog.2016.04.002
- Lemogne, C., Piolino, P., Friszer, S., Claret, A., Girault, N., Jouvent, R., Allilaire, J.-F., & Fossati, P. (2006). Episodic autobiographical memory in depression: Specificity, autonoetic consciousness, and self-perspective. *Consciousness and Cognition*, 15(2), 258–268.
 - https://doi.org/10.1016/j.concog.2005.07.005
- Madore, K. P., Jing, H. G., & Schacter, D. L. (2019). Episodic specificity induction and scene construction: Evidence for an event construction account. *Consciousness and Cognition*, *68*, 1–11. https://doi.org/10.1016/j.concog.2018.12.001
- Madore, K. P., & Schacter, D. L. (2014). An episodic specificity induction enhances means-end problem solving in young and older adults. *Psychology and Aging*, 29(4), 913–924.
 - https://doi.org/10.1037/a0038209

- Markowitsch, H. J., & Staniloiu, A. (2011). Memory, autonoetic consciousness, and the self. Consciousness and *Cognition*, 20(1), 16–39.
 - https://doi.org/10.1016/j.concog.2010.09.005
- Martin, M. M., & Rubin, R. B. (1995). A new measure of cognitive flexibility. *Psychological Reports*, 76(2), 623–626. https://doi.org/10.2466/pr0.1995.76.2.623
- Maurel, M. (2009). The explicitation interview: Examples and applications. *Journal of Consciousness Studies*, *16*, 58–89.
- McFarland, C. P., Primosch, M., Maxson, C. M., & Stewart, B. T. (2017). Enhancing memory and imagination improves problem solving among individuals with depression. *Memory & Cognition*, 45(6), 932–939.
 - https://doi.org/10.3758/s13421-017-0706-3
- Miloyan, B., Pachana, N. A., & Suddendorf, T. (2014). The future is here: A review of foresight systems in anxiety and depression. *Cognition and Emotion*, 28(5), 795–810. https://doi.org/10.1080/02699931.2013.863179
- Petitmengin, C. (2006). Describing one's subjective experience in the second person: An interview method for the science of consciousness. *Phenomenology and the Cognitive Sciences*, 5(3–4), 229–269. https://doi.org/10.1007/s11097-006-9022-2
- Petitmengin, C. (2007). Towards the source of thoughts. *Journal of Consciousness Studies*, 14(3), 54–82.
- Petitmengin, C., Navarro, V., & Le Van Quyen, M. (2007). Anticipating seizure: Pre-reflective experience at the center of neuro-phenomenology. *Consciousness and Cognition*, *16*(3), 746–764. https://doi.org/10.1016/j.concog.2007.05.006
- Petitmengin, C., Remillieux, A., Cahour, B., & Carter-Thomas, S. (2013). A gap in Nisbett and Wilson's findings? A first-person access to our cognitive processes. *Consciousness and Cognition*, 22(2), 654–669.https://doi.org/10.1016/j.concog.2013.02.004
- Petitmengin, C., Remillieux, A., & Valenzuela-Moguillansky, C. (2019a). Discovering the structures of lived experience. *Phenomenology and the Cognitive Sciences*, 18(4), 691–730.
 - https://doi.org/10.1007/s11097-018-9597-4
- Petitmengin, C., van Beek, M., Bitbol, M., Nissou, J.-M., & Roepstorff, A. (2019b). Studying the experience of meditation through *Micro-phenomenology. Current Opinion in Psychology, 28*, 54–59.
 - https://doi.org/10.1016/j.copsyc.2018.10.009
- Raes, F., Williams, J. M. G., & Hermans, D. (2009). Reducing cognitive vulnerability to depression: A preliminary investigation of Memory Specificity Training (MEST) in inpatients with depressive symptomatology. *Journal of Behavior Therapy and Experimental Psychiatry*, 40(1), 24–38. https://doi.org/10.1016/j.jbtep.2008.03.001

- Schacter, D. L., & Addis, D. R. (2007). The cognitive neuroscience of constructive memory: Remembering the past and imagining the future. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 362(1481), 773–786. https://doi.org/10.1098/rstb.2007.2087
- Schacter, D. L., Benoit, R. G., & Szpunar, K. K. (2017). Episodic future thinking: Mechanisms and functions. *Current Opinion in Behavioral Sciences*, *17*, 41–50. https://doi.org/10.1016/j.cobeha.2017.06.002
- Szpunar, K. K. (2010). Episodic Future Thought: An Emerging Concept. *Perspectives on Psychological Science*, *5*(2), 142–162. https://doi.org/10.1177/1745691610362350
- Tulving, E. (1972). Episodic and semantic memory. In *Organization of memory* (pp. xiii, 423–xiii, 423). Academic Press.
- Tulving, E. (1985). Memory and consciousness. *Canadian Psychology/Psychologie Canadienne*, 26(1), 1–12. https://doi.org/10.1037/h0080017
- Tulving, E. (2001). Origin of autonoesis in episodic memory. In *The nature of remembering: Essays in honor of Robert G. Crowder* (pp. 17–34). American Psychological Association. https://doi.org/10.1037/10394-002
- Tulving, E. (2002). Chronesthesia: Conscious awareness of subjective time. In *Principles of frontal lobe function* (pp. 311–325). Oxford University Press. https://doi.org/10.1093/acprof:oso/9780195134971. 003.0020
- Tulving, E. (2005). The Missing Link in Cognition: Origins of Self-Reflective Consciousness (H. S. Terrace, J. Metcalfe, & B. in the D. of P. J. Metcalfe, Eds.).
 Oxford University Press, USA.
- Valenzuela-Moguillansky, C. (2013). An Exploration of the Bodily Experience of Persons Suffering from Fibromyalgia. *Constructivist Foundations*, 8(3), 339–350.
- van Vreeswijk, M. F., & de Wilde, E. J. (2004). Autobiographical memory specificity, psychopathology, depressed mood and the use of the Autobiographical Memory Test: A meta-analysis. *Behaviour Research and Therapy*, 42(6), 731–743. https://doi.org/10.1016/S0005-7967(03)00194-3
- Vermersch, P. (1999). Introspection as practice. *Journal of Consciousness Studies*, 6, 17–42.
- Vermersch, P. (2009). Describing the Practice of Introspection. *Journal of Consciousness Studies*, 16(10–11), 20–57.
- Watkins, E. R., Baeyens, C. B., & Read, R. (2009). Concreteness training reduces dysphoria: Proof-of-principle for repeated cognitive bias modification in depression. *Journal of Abnormal Psychology*, 118(1), 55–64. https://doi.org/10.1037/a0013642

- Williams, J. M., & Broadbent, K. (1986). Autobiographical memory in suicide attempters. *Journal of abnormal psychology*, 95(2), 144.
- Williams, J. M. G., Barnhofer, T., Crane, C., Herman, D., Raes, F., Watkins, E., & Dalgleish, T. (2007). Autobiographical memory specificity and emotional disorder. *Psychological Bulletin*, *133*(1), 122–148. https://doi.org/10.1037/0033-2909.133.1.122

Appendix A

Induction Scripts

Free Recall Induction

Today, I'd like to invite you to think of a positive memory from the last one year. It can be any memory where you felt positive emotions. Please think of something that happened to you and that you directly experienced at one time and in one place. Choose something that you remember well. When you are ready, I would like you to recall the memory and share it with me in as much detail as possible.

Micro-phenomenology Interview Induction

Now I would like to invite you to think of a positive memory from the last one year. It should be different from the one you recalled and shared with me directly earlier.

It can be any memory where you felt positive emotions. Please think of something that happened to you and that you directly experienced at one time and in one place. Choose something that you remember well. When you are ready, let me know and we will proceed further.

Today, if you agree, we are going to do something called a micro-phenomenological interview. This interview is a way for us to explore your memory in great detail and precision. In order to do this, I will ask you a series of questions to help you go back to the experience. I will also at times re-state what you have shared to assist you in going back and also to ensure that I have correctly understood what you have shared.

You are free to choose to not respond to any question and you may ask to pause or stop the interview at any time for any reason.

So if you agree, I would like to invite you to give me a brief description of the memory you have chosen.

(wait for the description)

Is there a particular moment that you would like to focus on in this experience?

(once agreed, proceed to the interview guide)

A Systematic Review of the Relationship Between Event Centrality and Posttraumatic Growth

Shane Graham
Trinity College Dublin

This paper applied a systematic review methodology to investigate the relationship between event centrality (EC) and posttraumatic growth (PTG). Five databases were searched with 18 papers included for review. Results indicated a robust, positive correlation between EC and PTG (r range = 0.34 - 0.59, all p < 0.001). Event centrality was also consistently observed to be positively associated with a maladaptive posttraumatic outcome, posttraumatic stress (PTS; B range .38 - .68, all p < 0.001). Several cognitive factors—deliberate rumination, intrusive rumination, psychological flexibility and negative self-cognitions—were observed to differentiate pathways between PTG and PTS in cases of high EC. Several of these relationships were not observed to be significant in cases of low EC, highlighting the clinical significance of these factors within the EC-PTG/PTS relationships. Results suggest that these cognitive factors may be useful targets for intervention within applied/clinical settings, pending further experimental research.

Keywords: event centrality, posttraumatic growth, posttraumatic stress

Introduction

Exposure to traumatic events (an event results in an experience of overwhelming stress) is an unfortunate, and ubiquitous, part of the human experience. Epidemiological data supports the omnipresence of trauma, with Frans et al. (2005) estimating that 90% of the world's population will experience at least one traumatic event in their lifetime. While specific populations are exposed to an increased risk of experiencing traumatic events (such as refugees, soldiers, and emergency workers), traumatic experiences often strike indiscriminately and can result in clinically significant psychological distress and impairment (Kessler et al., 2017). Trauma-exposed individuals are observed to be at increased risk of developing post-traumatic stress disorder (herein PTSD; American Psychiatric Association, 2013), amongst a range of other metal health difficulties (e.g. mood and other anxiety disorders; Brooks et al., 2020). While psychological research has typically focused on the negative phenomena associated with trauma exposure, some research has identified positive, adaptive outcomes for individuals that have been exposed to traumatic events. Tedeschi and Calhoun (2004) offered a seminal paper on the concept of posttraumatic growth (PTG), defined as "The experience of positive change that occurs as the result of a struggle with a highly challenging life crisis" (p.1). Tedeschi and Calhoun (2004)

observe that PTG can manifest in five domains: increased appreciation for life; improved relationships; increased sense of personal strength; identification of new core values; a richer existential and spiritual life. Indeed, while the concept of PTG is relatively new to psychology, it should be noted that the notion of benefit emerging from suffering is long-standing across many philosophical and spiritual traditions (Whitehead et al., 2018).

Another trauma-related psychological concept that has received significant attention from researchers is that of event centrality (EC). EC is a cognitive construct that is defined as the extent to which an individual perceives an event as central to their identity (Berntsen & Rubin, 2006). An event that is highly centralized with respect to one's identity functions as a reference point for an individual's sense of self, view of the world, and consequent behavior within it. Early research on EC identified a robust positive correlation between EC and symptoms of posttraumatic stress (PTS), a finding that has been consistently supported by previous literature (Boals & Ruggero, 2016; Kramer et al., 2020; Roland et al., 2014). Symptoms of PTS include intrusive thoughts, nightmares, flashbacks, emotional dysregulation, hypervigilance, and difficulty maintaining close relationships (American Psychiatric Association, 2013). That withstanding, research has also identified a positive correlation between EC and PTG (Barton et al., 2013; Blix at el., 2014; Boals et al., 2010), and a flurry of

research on the EC-PTG relationship has been published over recent years. While the EC-PTG research base has grown, no respective systematic review has been published focusing on the relationship between the two concepts. Tangentially, the existing literature base has consistently applied the same measurement instrumentsthe Centrality of Events Scale and Posttraumatic Growth Inventory. The Centrality of Events Scale (CES; Bernsten & Ruben, 2006) is a seven-item questionnaire designed to measure EC, or the extent to which an event is viewed as central to one's identity. The Posttraumatic Growth Inventory (PTGI; Tedeschi et al., 2017) is a 21-item scale designed to measure PTG, or the degree of reported positive changes experienced in response to major life crises. Both instruments are consistently observed to be highly reliable, with Cronbach's α values of > 0.8typically reported.

Given the ubiquity of trauma exposure, identifying factors that lead to adaptive posttraumatic outcomes (i.e. PTG) is extremely desirable. Consequently, in light of the recent increase in publications exploring the EC-PTG relationship-and the lack of an associated systematic review-this paper will systematically review the literature base that explores the relationship between EC and PTG. This paper aims to investigate the direct relationship between both factors and identify any factors that may influence the relationship (i.e., mediating or moderating variables). Given the established positive associations between EC and PTS (e.g. Boals & Ruggero, 2016), this paper also aims to identify any factors that may differentiate the EC-PTG relationship from the EC-PTS relationship. The clinical implications of findings will also be considered, along with any suggestions for future research.

Methods

This paper implemented a systematic review methodoogy and narrative synthesis approach to address its research question. The study was not preregistered due to author oversight.

Databases

The search databases utilized for this systematic review were: Embase, MEDLINE, Web of Science, Google Scholar, and PsycINFO. All databases were searched in September 2021. No date range was set during the search.

Inclusion and Exclusion Criteria

The following inclusion criteria were selected: given the selected topic of investigation, all included studies must have utilized a sample population of individuals that have experienced a traumatic event

or events; all included studies must have utilized the PTGI and CES measurement instruments (as they are validated scales that measure the phenomena in question; by extension included studies must have an empirical element, either entirely quantitative or mixed-methods); all included studies must have been published in English. Publications from any year were included.

With respect to exclusion criteria, qualitative studies were excluded; studies investigating the relationship between event centrality and posttraumatic stress only (i.e. without considering posttraumatic growth) were excluded; studies that did not utilize the PTGI and CES measurement instruments were excluded.

Search strategy

Given the discussed inclusion and exclusion criteria, this systematic review applied an adapted SPIDER framework (Cooke et al., 2012) to build its search terms. The primary selected search terms were: trauma, event centrality, posttraumatic growth, posttraumatic growth inventory, and centrality of events scale. Several derivatives were also inputted (see Table 1 in Appendix A for full list). A SPIDER framework was used over PICO as the research question was not concerned with intervention, comparison, or outcomes, rather particular phenomena of interest (EC and PTG).

Using the "advanced search" features of the databases selected for search, the search terms identified in Table 1 were linked with logical Boolean operators to search for all possible combinations of the search terms. Search terms within a particular SPIDER heading group (e.g. Post Traumatic Growth Inventory; PTGI) were linked with the operator "OR". The groups themselves were linked by the operator "AND". Table 2 displays the search terms and Boolean operator combinations that were applied for each database, and any database-specific filters that were applied.

Study Selection

Following database searches using the search terms detailed in Table 2 (see Appendix B), the titles and abstracts of search results were manually browsed by one reviewer and assessed with respect to inclusion and exclusion criteria. Papers that met inclusion criteria were recorded within a tab of a Microsoft Excel document; each database's included search results were recorded within a respective tab. Once publications that met inclusion criteria were identified for each of the five databases selected for search, results were combined within a master tab of the Microsoft Excel document, and any duplicates were removed. Each of the remaining papers was then accessed fully and reviewed in line with inclusion/exclusion criteria, and then either selected for data extraction/review or excluded. A manual reference

search of all articles included for review was also conducted in an effort to identify any remaining publications that met inclusion criteria. The publication date of studies included for review ranged from 2011-2021.

Assessment of Quality

In order to assess for quality/risk of bias within the studies selected for review, this study utilized STROBE checklist tools to assess for reporting transparency (the specific STROBE checklist tool applied will depend on the research design of each reviewed study; e.g. cross-sectional, time-series etc.; Cuschieri, 2019). Risk of bias was then assessed for using the Effective Public Health Practice Project (EPHPP) quality assessment tool for quantitative studies (Thomas et al., 2004).

Results

Selection Process

Database searches using the discussed search terms and filter provided a total of 1,685 results. Following a manual title and abstract search, combined results from the five databases selected for search totaled 58 papers, of which 19 duplicates were removed (total n = 39). These papers were fully accessed, and 20 further papers were excluded from analysis. Of the 20 papers that were excluded, six were removed as they did not contribute to this paper's research objectives beyond associating EC and PTG using correlational analyses; four were removed as they did not consider event centrality; two did not consider PTG; three did not explore trauma-related phenomena; five did not apply the PTGI, or did not clearly discuss results related to the measure. Following abstract/ title screening, one full-text paper could not be accessed for review (Wolfe & Ray, 2015). Consequently, a total of 18 papers were included for review. A manual reference search was also conducted for the papers included for review, but returned no new publications for inclusion (only duplicates/excluded articles). Figure 1 shows a flowchart of the selection process (see Appendix C).

Participant Characteristics

The total number of participants across each of the papers included for review totaled 8,077. The majority of participants were female (65.4%) and white (49.2%). The weighted average age across each of the studies was 22.98 years. Of the 18 studies included for review, 12 sampled participants living in America, nine of which sampled American university students. Table 3 shows a breakdown of participant characteristics by paper selected for inclusion, along with descriptive statistics for the total data set (see Appendix D).

Study Results

The common factor shared by each of the 18 studies included for review was an analysis of the relationship between event centrality and posttraumatic growth, with each of the studies exploring a distinct factor (or factors) with respect to the EC-PTG relationship. The following subsections will first detail extracted results with respect to the EC-PTG relationship, and then detail extracted results with respect to emergent themes. Each paper's results are detailed in Table 4 (Appendix E).

The Event Centrality-Posttraumatic Growth Relationship

Allbaugh et al. (2016) observed a significant positive correlation between EC and PTG (r = .47, p = .01). Bakaitytė et al. (2020) applied a longitudinal design and observed consistent EC-PTG positive correlation for their total sample across three time points (t1: r = .34, p < .001; t2: r = .34, p < .001; t3: r = .37, p < .001; 6-month follow up between time periods). Barton et al. (2013) found significant positive correlations between EC and PTG in an undergraduate subsample (r = .59, p < .001), but did not find a significant correlation within a treatment-seeking subsample; they posit that the validity of this result is limited by a small sample size for the treatment-seeking subsample, and its restricted range of EC scores (EC scores were high for the subsample, with little variation). Glad et al. (2020) observed a significant positive association between EC and PTG. Kramer et al. (2020) observed the total effect of EC on PTG within a serial mediation model to be significant ($\beta = .43$, SE = .06, p < .001). Interestingly, Onu et al. (2019), investigating a sample of HIV-diagnosed outpatients in Nigeria (of which the HIV diagnosis was explored as the index traumatic event), observed a significant negative correlation between EC and PTG (r = -.48, p < .001).

Posttraumatic Growth and Posttraumatic Stress in Cases of High Event Centrality

Clauss et al. (2021), applying structural equation modelling, observed that EC predicted both PTS and PTG, (B = .42 and .40, respectively, p < .001). Roland et al. (2014) observed via regression analysis that EC uniquely predicted both PTG and PTS outcomes in a sample of El Salvadorian teachers exposed to pervasive violence. Applying a multivariate regression model, they observed that when added to a model predicting PTG, EC increased the level of variance explained by the model ($\Delta R^2 = 0.14$, $\Delta F(1, 246) = 43.17$, p < 0.001); when EC was added to a model predicting PTS, it also increased the level of variance explained by the model, though the R2 change was comparably small ($\Delta R^2 = 0.01$, $\Delta F = (1, 246) = 4.88$, p = 0.05). Schuettler et al. (2011)

applied a stepwise regression to predicted PTS and PTG; the final models accounted for 48% of PTG variance (F(3, 101) = 29.54, p < .0001) and 66% of PTS variance, with EC observed to be a significant predictor variable in both models (B = .38, p < .001 for PTS; B = .52, p < .001for PTG). These results were also replicated in a similar paper by the same authors when applying a wide range of control variables, with EC observed to be the strongest predicting variable of PTG (Boals et al., 2011). Applying Structural equation modelling to test a hypothesized mediation model, Wang et al. (2020) observed that EC was positively associated with PTS ($\beta = .68 p < .001$, 95% CI = .636 - .730), and PTG (β = .45, p < .001, 95% CI = .34 to .54), and EC was found to significantly mediate the path between PTS and PTG (indirect effect = .305, p < .001, 95 % CI = .23 to .37). Groleau et al. (2013), applying hierarchical linear regression, observed that EC uniquely contributes to both PTG and PTS after controlling for rumination and several other factors. EC was observed to uniquely contribute to 4% of the variance in PTG ($\Delta F = 10.91$, p = .01), and 2% of the variance in PTS ($\Delta F = 8.29, p = .01$). Boals et al. (2011) also observed the correlation between EC and PTG to be stronger when participants' PTS scores were below the clinical cut-off range (r = .57, p < .0001), relative to when PTS scores were above the clinical cut-off range (r = .25, p = .01).

Regarding the relationship between PTG and PTS, Clauss et al. (2021) observed a significant association (r =.19, p = .05); Roland et al. (2014) observed no significant correlation; Schuettler et al. (2011) observed a significant correlation (r = .40, p < .001); as did Boals et al. (2011; r = .44, p < .001); Wang et al. observed a significant negative association between PTS and PTG (β = -.31, p < .001, 95% CI = -.45 to -.18); Groleau et al. (2013) observed no significant association between PTG and PTS (p>.05).

Aspects of Cognition as Differentiators of PTG/PTS Pathways

Results related to aspects of cognition are reported in Table 5 (Appendix F). Results are then discussed in detail individually, and will be synthesized in later discussion.

Allbaugh et al. (2016) applied hierarchical multiple regression analyses in order to investigate the effects of rumination type (differentiated as brooding, reflecting, intrusive, or deliberate) and EC on PTG and PTS outcomes: they observed that their regression model significantly predicted PTS (F = 11.94, p = .01; $R^2 = .40$), with EC (b = .32, p = .01), brooding (b = .19, p = .05), and reflecting (b = .23, p = .01) identified as significant positive predictors of PTS. Their model also significantly predicted PTG (F = 8.53, p = .01; $R^2 = .32$), with EC

(b =.36, p = .01) and deliberate rumination (b =.41, p = .01) identified as significant positive predictors of PTG.

Barton et al. (2013) examined the effect of posttraumatic cognitions (negative cognitions about the self, negative cognitions about the world, and self-blame) on PTS and PTG. Their hierarchical regression analysis revealed a significant model that predicted PTS $(F = 218.37, p < .001, R^2 = .46)$, with both event centrality $(\beta = .40, p < .001)$, and posttraumatic cognitions $(\beta = .41, p < .001)$ observed to be significant predictors. Event centrality was observed to have a significant positive interaction effect with posttraumatic cognitions ($\beta = .14$, p < .001), where a combination of high EC and posttraumatic cognitions was associated with the highest level of PTS symptoms. A second hierarchical regression model also significantly predicted PTG (F = 147.87, p < .001, $R^2 = .37$), with event centrality (p < .001, $\beta = .65$) and posttraumatic cognitions (p < .001, $\beta = -.14$) identified as significant predictors. When separate multiple regression analyses were rerun for high EC and low EC groups predicting PTG, both regression models were found to be significant, with EC identified as a positive predictor of PTG; however, posttraumatic cognitions were not identified as a significant predictor of PTG in the low EC model.

Boykin et al. (2020) investigated the role of psychological flexibility (a concept derived from the third-wave psychological intervention acceptance and commitment therapy [ACT], defined in-text as "the ability to persist in a behavior despite urges to do otherwise") within the PTG/PTS relationship. They observed a significant interaction between event centrality and psychological flexibility on PTS severity (B = 2.10, p = .01), with slope analysis indicating that low psychological flexibility is associated with greater PTS symptoms as EC increased. There was no observed association between EC and PTS at high levels of psychological flexibility. Thus, the effect of EC on PTS is interpreted to be moderated by psychological flexibility. While event centrality and psychological flexibility also independently predicted perceived PTG (both relationships were positive and significant), no significant interaction effect was observed (B = -4.68, p = .08), suggesting that psychological flexibility does not moderate the relationship between EC and PTG.

Clauss et al. (2021) investigated the effects of positive and negative trauma-related metacognitive beliefs on EC and PTS/PTG. They defined positive metacognitive beliefs as active appraisal of a traumatic event (e.g. "I must go over events to make sense of them"), and negative metacognitive beliefs as intrusive, distressing cognitions (e.g. "I could lose my mind if I continue to think this way"). Applying structural equation

modeling and path analysis to test for interactive effects, the authors observed that EC (B = .37, p < .001) and the interaction term (EC x negative metacognitive beliefs; B = -.13, p = .04) significantly predicted PTG, but negative metacognitive beliefs alone did not (B = .13,p = .14; $R^2 = .17$, p < .01). Slope analysis indicated that the positive association between EC and PTS was significantly stronger at higher (B = .54, p < .001), versus lower (B = .20, p = .05) levels of negative metacognitive beliefs. Inversely, the positive association between EC and PTG was significantly stronger at lower (B = .55, p < .001), rather than higher (B = .21, p = .05) levels of negative metacognitive beliefs. Positive metacognitive beliefs did not significantly predict either PTG or PTS. The EC and positive metacognitive beliefs interaction term significantly predicted PTS (B = .18, p = .03; $R^2 = .28$, p < .001), but not PTG. Slopes analysis indicated that the EC and PTS positive association was significant at higher (B = .62, p < .001), but not lower (p > .05), levels of positive metacognitive beliefs.

Kramer et al., (2020) applied a serial multiple mediation model, and identified several mediating pathways. Deliberate rumination was found to significantly mediate the relationship between EC and PTG; the EC-PTG relationship was also sequentially mediated by PTS and then deliberate rumination (all at p < .001).

Lancaster et al. (2015) applying path analysis, observed good model fit with their final model PTG ($R^2 = .55$) and PTS ($R^2 = .35$) were strongly predicted by this model). Event centrality was observed to have a direct effect on both PTG and PTS, and an indirect effect on both outcomes via negative cognitions about the self, which had a positive effect on PTS and a negative effect on PTG; deliberate rumination was also found to mediate the pathway between CES and PTG, via intrusive rumination, which also had a direct effect on PTS – though the authors note that longitudinal research is required to clarify the relationship between intrusive and deliberate rumination, and whether intrusive rumination leads to deliberate rumination. All paths were significant at p < .01. Refer to p. 12 of the article for graphic.

Applying structural equation modelling, Brooks et al. (2017) observed that EC mediated the positive relationship between intrusive rumination and deliberate rumination (z = 2.82, p < .001), and the positive relationship between intrusive rumination and PTS (z = 2.60, p = .009); intrusive rumination was also observed to have a direct effect on PTS (B = .66, p < .001). However, while their model observed a significant positive association between deliberate rumination and PTG (r = .20, p = .01), it did not find that deliberate rumination significantly predicted PTG as hypothesized.

A Longitudinal Perspective on the EC-PTG Relationship

Bakaitytė et al. (2020) examined group differences over time (assessing three time points, each 6 months apart) between a sample of females that had experienced intimate partner violence (IPV) within 2 years of sampling at t1, and a sample of females that had experienced IPV more than 2 years before t1. Those who experienced recent IPV had lower levels of PTG at t1 relative to the comparison group, but experienced a significant increase in PTG between t1 and t3. The comparison group (< 2 years since IPV at t1) had higher initial levels of PTG, but no significant PTG change occurred between t1 and t3. EC was the only significant (positive) predictor of t1 PTG for both groups, yet it was not a significant predictor of the rate of change in PTG across either group.

Blix et al. (2015) examined the longitudinal relationship between EC and PTG in a sample of workers exposed to a 2011 bombing attack. Applying a cross-lagged autoregressive model, data was collected at two time periods (t1 = 9 months after bombing event; t2 = 21 months after bombing event). Results indicated that both EC and PTG levels were stable across time. A significant positive association was observed between EC and PTG at both t1 and t2, however, the relationship appeared to attenuate across time (t1: r = .46, p = .01; t2: r = .30, p = .01). No time-lagged effects of EC on PTG, or PTG on EC were observed. Glad et al. (2020) hypothesized that EC would mediate the association between terrorist attack survivor's peritraumatic reactions during the attack and later PTG, but did not find evidence to support this hypothesis.

Sapach et al. (2019) adapted the CES to record event centrality valence (whether the traumatic index event was appraised positively or negatively), and investigated if time since trauma influenced EC valence. Their investigation found no significant effect of time on EC valence.

EC as a Moderator Between PTG and Mental Health Outcomes

Investigating a sample of HIV positive participants, Onu et al. (2019) applied a regression moderation model that predicted health-related quality of life. The model depicted the interaction of PTG and EC, revealing a positive prediction for the intimate/social relationship (b = .23; t = 3.7; p < .001) and cognitive/mental health (b = .24; t = 3.65; p < .001) dimensions of the health-related quality of life instrument. Results suggested that the more an individual centralized their identity with respect to their HIV diagnosis, the more likely that their PTG would yield better mental health and relationship-related outcomes.

Event Valence

Sapach et al. (2019) adapted the CES to record event centrality valence (whether the traumatic index event was appraised positively or negatively). Their published regression analyses indicated that positive appraisals of traumatic events were negatively related to PTS, and positively related to PTG; negative and central appraisals of traumatic events were positively related to PTS, and negatively related to PTG. Post-hoc ANOVAs and Tukey's HSD tests indicated that the positive valence event centrality group reported significantly higher scores on all PTGI subscales relative to the negative event centrality group (all p < 0.001).

Trauma Type

Sapach et al. (2019) adapted the CES to record event centrality valence (whether the traumatic index event was appraised positively or negatively) and assessed if trauma type had an effect on EC valence. Post-hoc Tukey's HSD tests revealed that the sexual assault index trauma group was associated with significantly higher negative EC relative to a natural disaster index trauma group (p = 0.01, 95% CI [-15.79, -0.96]). There were no other statistically significant group differences.

Wamser-Nanney et al. (2020) investigated if trauma type moderated the effect of EC on trauma-related outcomes (PTG and PTS). Applying moderation regression analyses, they observed that EC was positively related to PTS for all trauma types, but there was a significant interaction term for sexual trauma (B = .24, SE = .11, p = .05), suggesting that the positive relationship between EC and PTS is strongest when the index traumatic event is a sexual trauma. No significant trauma-type interaction terms were found for the PTG model, with PTG found to be significantly predicted (all p < .05) by EC for all trauma types. Boals et al. (2011) observed that excluding participants from their data set whose index trauma event did not meet "conventional"standards for being considered a traumatic event had no effect on their results.

Discussion

The EC-PTG Relationship

Synthesis of results that directly investigate the relationship between event centrality and posttraumatic growth reveals a largely unified picture. With the exception of Onu et al. (2019), each reviewed study observes a significant, positive relationship between EC and PTG. Significant effect sizes (Pearson's r when interpreting correlational analyses, or Beta values when interpreting regression analyses) range from .30 (Blix et al., 2015)

to .59 (Barton et al., 2013), with the majority of results appearing to fall around ~.4. This indicates that a medium, positive effect size is consistently observed across the studies included for review—many of the observed effect sizes can also be interpreted as large, when they are considered within the context of resulting from social science research (Funder & Ozer, 2019). Consequently, the reviewed body of literature largely observes that high EC is associated with high PTG.

As noted, Onu et al. (2019) offered the only contrary result with respect to the positive association between EC and PTG. The result was highly significant (p < .001), with a medium-to-large effect size (r = -.48). Interestingly, despite this markedly contrarian result with respect to the consensus of the literature body-at-large, the result is not discussed in the text, and is only observable within the paper's tables and mentioned within the abstract. It is possible that the specificity of the paper's index trauma event (HIV diagnosis)-which is unique with respect to the articles included within this paper for review - may have limited the external validity of the paper's results. It is also possible that cultural factors may have played a role in this result, as the paper was also the only article included for review that utilized a Nigerian (and indeed, African) sample population (the potential impact of cultural factors on the EC/PTG relationship will be discussed in more detail later, as there is an important point to be made). That withstanding, significant, positive associations were observed between EC and PTG across a range of culturally diverse samples- Lithuanian females (Bakaitytė et al., 2020), Norwegian citizens (Blix et al., 2015; Glad et al., 2020), British citizens (Brooks et al., 2017), El Salvadoran teachers (Roland et al., 2014), Chinese adolescents (Wang et al., 2020), and a host of American samples (e.g. Sapach et al., 2019), perhaps suggesting that Onu et al.'s (2019) observation of a significant, negative EC/PTG relationship may be a product of their unique index trauma event.

That withstanding, the relationship between EC and PTG is largely observed to be significant–from both a statistical and clinical perspective. Boals et al. (2011) observed EC to be the largest predictor variable of PTG relative to a host of correlated variables; Groleau et al. (2013) estimated that 4% of PTG variance is uniquely (positively) predicted by EC; Roland et al. (2014) observed that adding EC into a multivariate regression model that predicted PTG caused a 14% increase in the model's explanatory value (as measured by the R2), with EC observed to have a significant, positive relationship with EC. Synthesis of results overwhelmingly indicates that a significant, positive relationship exists between EC and PTG, perhaps with the caveat that the index trauma event is not related to HIV diagnosis.

Considering PTS

As noted in the introduction, the positive relationship between EC and PTG is particularly intriguing when considered within the context of EC's relationship with alternative posttraumatic outcomes—i.e. posttraumatic stress. When considered in isolation, the conclusion that EC and PTG are positively associated can be interpreted to suggest that high EC is an entirely positive psychological variable, as it is associated with an adaptive posttraumatic outcome, PTG. However, when considered within a wider context-particularly with respect to PTS, a maladaptive posttraumatic outcomethe nature of the EC/PTG relationship is revealed to be considerably more nuanced. Indeed, Boals et al. (2011) conceptualized high EC to be a "double-edged sword", as it is observed to be positively associated with both PTG and PTS-apparently contrasting outcomes. This relationship was confirmed by the articles included for review, with each of the studies that included a measure of PTS as an outcome variable observing it to have a significant, positive association with EC, with the observed effect sizes falling within the medium-to-large range (min observed: B = .38 for Schuettler et al. (2011); max observed: B = .68 for Wang et al., (2020). Each of the articles included for review that investigated the EC/PTS relationship also explored the EC/PTG relationship, and consistently observed significant, positive associations.

With respect to the relationship between PTG and PTS, the reviewed literature revealed a range of conflicting associations-some observed significant, medium effect sizes that were positive (e.g. Schuettler et al., 2011), some observed significant, medium effect sizes that were negative (e.g. Wang et al., 2011), and some observed no significant relationship between PTS and PTG (e.g. Groleau et al., 2013). Perhaps the best potential explanation for this range of contrasting results is suggested by Roland et al. (2019) who posit that independent factors are involved in the pathways between EC and posttraumatic outcomes. Consequently, these factors would act as confounding variables, and account for the inconsistent correlations observed across the reviewed literature. The reviewed literature supports Roland et al.'s (2019) assertion, with various cognitive phenomena observed to independently mediate (and in some cases moderate) the pathways between EC and PTG/ PTS (these factors will be discussed in detail shortly). Indeed, the independence of positive and negative trauma-related outcomes has been empirically supported for some time (Linley et al., 2003).

Consideration of Longitudinal Data

Given that the majority of the research included for review applied cross-sectional designs, no causal conclusions were drawn with respect to the relationship

between EC and PTG. That withstanding, three studies included for review applied longitudinal designs. Bakaitytė et al. (2020) observed PTG grew over an 18-month period for participants who had recently (< 2 years) experienced intimate partner violence, while PTG levels did not change over the study period for those that had experienced IPV > 2 years before the time of study. While EC was observed to positively predict PTG, it did not affect the rate of change in PTG via timelagged effects. Consequently, the authors argued that EC and PTG are parallel processes triggered by the same index-trauma event, rather than causally related phenomena along a temporal chain. Results of the other studies included for review that applied longitudinal designs support this conclusion, with Blix et al. (2015) also observing no time-lagged effects of EC on PTG (or vice-versa), and Sapach et al. (2020) observing that EC did not mediate the relationship between peritraumatic reactions to trauma and later PTG (30-32 months post-trauma). Aside from also suggesting that EC and PTG may be parallel processes rather than causally related, both Sapach et al. (2020) and Blix et al. (2015) note that it is possible that the relationship between EC and PTG is better captured by short-term effects that were not captured by their study designs. Consequently, in order to robustly conclude that EC and PTG are parallel processes, rather than causally related, further longitudinal research (particularly with a shorter time lag since the index trauma event) is required.

Cognitive Factors as Differentiators of Posttraumatic Outcomes

As noted earlier, several of the studies included for review investigated the effect of a range of cognitive phenomena on the EC/PTG relationship, specifically exploring if any such factors differentiated the pathways between event centrality and adaptive and maladaptive posttraumatic outcomes (i.e. PTG vs PTS). Within the seven studies included for review that investigated the role of cognitive phenomena within the EC and PTG/ PTS relationship, there were two broad approaches to analysis: one group applied mediational analyses in order to identify if cognitive phenomena sat between EC and posttraumatic outcomes within a mediational model; the second group applied moderation analyses in order to investigate if cognitive phenomena influenced the relationship between EC and posttraumatic outcomes. The cognitive phenomena investigated can be grouped into three categories: rumination (with several subtypes considered), beliefs concerning the self, and psychological flexibility (a central concept of ACT, defined as the ability to pay attention to the present moment and behave in accordance with core values; Gloster at al., 2011).

Deliberate rumination (conscious cognitive appraisal related to the index trauma event) was

consistently observed to have a positive, direct relationship with PTG. Kramer et al. (2020) observed the rumination type to mediate the relationship between EC and PTG. That withstanding, Brooks et al. (2017) did not observe deliberate rumination to mediate the EC/PTG relationship. Moderation analyses did not observe any moderating effect of deliberate rumination on the EC/PTG (or PTS) relationship. Intrusive rumination (automatic, unwanted, distressing thoughts related to the index trauma event) was consistently observed to be positively related with PTS, with some results suggesting that intrusive rumination mediates the relationship between EC and PTS (Lancaster et al., 2015), though this was not observed by all mediation models included for review. Consequently, results suggest that deliberate rumination is strongly associated with PTG, and intrusive rumination is strongly associated with PTS, and that both rumination types may act as mediating factors between EC and their respective associated posttraumatic outcome. While more research is required to confirm the mediating effect of these factors, these results have potential clinical significance as they differentiate hypothetical pathways between EC and PTG/PTS outcomes.

Barton et al. (2013), Lancaster et al. (2015), and Clauss et al. (2021) investigate three fundamentally similar cognitive constructs: posttraumatic cognitions, negative self-cognitions, and negative metacognitive beliefs (respectively). Each of these constructs encompasses negative appraisals of the self, and will be grouped under the term negative self-cognitions. Results across each of the studies paint a consistent picture: negative self-cognitions are positively associated with PTS, and negatively associated with PTG. Mediation analyses indicate that negative self-cognitions act as a mediating factor between EC and both PTS and PTG. Moderation analyses by both Barton et al. (2013) and Clauss et al. (2021) suggest that negative self-cognitions act as a moderating variable, where high EC interacts with high negative self-cognitions to increase PTS; Clauss et al. (2021) also observe an effect where high EC interacts with low negative self-cognitions to increase PTG. Accordingly, results consistently suggest that negative self-cognitions act as both mediating and moderating factors between EC and posttraumatic outcomes, with increased negative self-cognitions associated with increased PTS in cases of high event centrality, and decreased negative self-cognitions associated with increased PTG in cases of high event centrality. The observation by Barton et al. (2013) that negative self-cognitions did not impact PTG in cases of low EC highlights the point that cognitive factors do not impact posttraumatic outcomes alone; the index trauma event must also be interpreted to be central to one's identity in order for cognitive factors to have an effect of posttraumatic outcomes. As discussed by Barton et al. (2013), if a negative event is construed as highly central, then subsequent "self-talk" (i.e. posttraumatic cognitions) become critical in determining (and differentiating) posttraumatic outcomes.

The final, broad cognitive phenomena discussed by the research included for review is that of psychological flexibility, which was investigated by Boykin et al. (2020) only. Psychological flexibility was observed to have a positive direct relationship with PTG and a negative direct relationship with PTS. An interaction effect was also observed with EC, where high EC and low psychological flexibility combined to predict increased PTS. No significant interaction effect was observed between EC and psychological flexibility on PTG. Thus, results suggest that increased psychological flexibility can act as a moderating factor that reduces PTS in cases of high EC.

Trauma Type

Sapach et al. (2019) and Wamser-Nanney et al. (2020) investigate the effect of index trauma type on posttraumatic outcomes (in cases of high event centrality), with both studies observing sexual trauma to be the only trauma type that is significantly (positively) associated with PTS relative to other trauma types (no other index trauma type was observed to have a significant effect on posttraumatic outcomes within either study). A potential moderating factor of the association between sexual trauma and PTS in cases of high EC is suggested by Sapach et al.'s (2019) investigation, which applied an adapted version of the CES which recorded event centrality valence (whether the index trauma is appraised as a positive or negative turning point in life). Results indicated that negatively appraised events with high EC are most closely positively associated with PTS (and negatively associated with PTG), and that sexual traumas are most likely to be negatively appraised relative to other index trauma types. These results suggest that an objective factor (index trauma type) is moderated by a subjective factor-cognitive appraisal of the index trauma event. The power of subjective factors (relative to objective trauma exposure) is also highlighted by an observation by Boals et al. (2011), who noted that the exclusion of participants from their study whose index trauma event did not meet "conventional" standards of trauma exposure had no effect on their results. Consequently, these results can be interpreted to suggest that objective trauma exposure (i.e. type of trauma experienced) has much less of an impact on subsequent posttraumatic outcomes (or the lack thereof) relative to subjective factors such as event centrality, trauma appraisal, or the previously discussed cognitive factors.

Applied Significance of Findings

Primarily, this review finds strong evidence that suports the existence of a positive relationship between event centrality and posttraumatic growth, with event centrality also observed to have a strong, positive relationship with posttraumatic stress. From a clinical perspective, this "double-edged sword" effect is confounding-event centrality, itself a cognitive variable, can be manipulated via psychological intervention (Vermeulen et al., 2019), however, any changes to an individual's event centrality following trauma exposure would simultaneously reduce (or increase) potential exposure to maladaptive and adaptive posttraumatic outcomes. Consequently, it is arguably more useful to identify mechanisms/targets of intervention whereby the risk of maladaptive outcomes is reduced, without effecting (or even while increasing) a client's potential for adaptive outcome development. This review's results appear to have differentiated several such mechanisms/ targets of intervention.

Results suggest that for clients with a high level of EC following experience of a traumatic event, encouraging deliberate rumination, while attempting to mitigate negative self-cognitions, are evidence-based objectives for psychological interventions that are likely to encourage posttraumatic growth. Meanwhile, attempting to reduce negative self-cognitions and intrusive rumination, and encouraging the development of psychological flexibility (as per ACT) are evidence-based objectives for psychological interventions that are likely to reduce posttraumatic stress in clients with high EC. Consequently, these factors serve as tangible cognitive targets for intervention. That withstanding, this conclusion is entirely hypothetical, as research has yet to be conducted that attempts to manipulate the discussed factors via psychological intervention for clients with high EC in order to observe any potential (differentiating) effects on posttraumatic outcomes. This would be a useful area for future research. Nevertheless, this paper's results serve as a useful indicator of potential targets for intervention. As discussed by Bernard et al. (2015), clinicians cannot simply erase the memory of trauma exposure from clients' minds, they must instead work with modifiable variables that are associated with posttraumatic outcomes-and therein lies the applied significance of the discussed results, as the discussed (subjective) factors associated with posttraumatic outcomes are modifiable via a range of cognitive-based intervention modalities.

Limitations

This section will first consider the paper's meta-limitations, and then the limitations of the

studies included for review. The primary meta-limitation of this paper is that a single reviewer completed the review process, exposing both the data screening and extraction steps to potential bias. Furthermore, systematic reviews that apply a narrative synthesis methodology are potentially exposed to a lack of transparency (and higher degree of subjectivity) relative to other review methods, as the data that is reported and subsequently discussed is at the author's discretion. Snilstveit et al. (2012) recommend that narrative syntheses should strictly adhere to transparent reporting of methods, and objective (table-based) reporting of results in order to increase transparency. It is hoped that the transparent reporting of the Methods and Results sections will allow readers to clearly identify how data was extracted and results interpreted for discussion. Following completion, this systematic review was itself reviewed for meta-limitations using the PRISMA 2020 Checklist (Page et al., 2021), meeting its review criteria.

The studies included for review by this paper largely share the same set of quality assessment characteristics and limitations, which are specified per paper within the Results table. As noted, a STROBE quality assessment and EPHPP assessment were carried out for each paper, to assess for reporting transparency and risk of bias respectively. Regarding the STROBE assessment, the only consistently unreported criterion was that of sensitivity analyses/consideration of statistical power (item 12(e) within the STROBE review checklist). As observed by Perugini et al. (2018), this is by far the most frequent reporting omission observed across psychological studies. Given that sensitivity analyses are observed to play a key role in assessing the robustness of statistical model results, it is unfortunate that this analysis is typically unreported. That withstanding, Perugini et al. (2018) observe that in the absence of discussion of power/ sensitivity analyses, one must adopt a "meta-analytic mindset" and consider evidence across a broad range of studies on a topic, rather than consider evidence from a single study alone. It is hoped that such an accumulation of evidence within this systematic review-which has revealed a largely cohesive set of results-will help to mitigate the risk to validity caused by the widespread lack of reporting and discussion of sensitivity analyses.

Aside from underreporting of STROBE item 12(e), the majority of papers included for review were observed to have highly transparent reporting quality. The only notable exceptions were that of Blix et al. (2015), who failed to give any descriptive data of their sample participants (item 14(a) within the STROBE checklist), and that of Onu et al. (2019), who offered no interpretation of a result that negatively associated EC and PTG, which was the only result of its kind observed across the reviewed literature base – thus failing to meet item 20

within the STROBE review checklist.

While the quality of reporting across each of the studies included for review was observed to be high, that is not to say that they are without risk of bias, as recorded by the EPHPP tool. Indeed, many of the studies share a similar set of limitations. 15 of the 18 studies included for review applied cross-sectional designs, which means that no cause-and-effect related conclusions can be drawn with respect to the relationship between EC, PTG and other related factors. Instead, only potential action pathways can be suggested that should be explored by future studies that apply alternative research designs. Of the three longitudinal studies included for review, no evidence was found of a temporal relationship between EC and PTG, but these results are far from conclusive; the typical data collection period since the index trauma experience was varied, and was largely no less than nine months (it is possible that the time since index trauma was shorter for some participants of Bakaitytė et al. [2020], though it is not possible to tell as the index trauma event was not shared by participants in this study, as was the case for both Blix et al. [2015] and Glad et al. [2020]). Consequently, a temporal relationship between EC and PTG may occur (and only be observable) within a shorter post-index trauma timeframe. Further research is required to identify if such a temporal relationship exists, or to clarify if EC and PTG emerge as parallel (interacting) processes following experience of an index trauma event.

The final key limitation observed by the EPHPP tool is that of sample bias. Almost 50% of total participants were observed to be of White ethnicity, with the second-largest ethnic group (Asian) making up only 13.7% of sample participants. Females were also overrepresented within the total sample (65.4% of participants), and the weighted average age across studies was 22.98 years old. 12 of the included samples were recruited in America, with nine of the studies recruiting American college students specifically. Consequently, the external validity of results may be limited to young, White, American females from non-clinical populations. Given that the cross-cultural validity of the EC/PTG relationship has been observed to be inconclusive (albeit with a limited research base that applies a novel measurement instrument; Taku et al., 2021), this is a significant limitation, and future research would be well advised to utilize more demographically and culturally diverse samples.

Conclusions

This systematic review has explored the relationship between event centrality and posttraumatic growth. There is strong evidence of a robust,

positive relationship between EC and PTG. There is also strong evidence of a robust, positive relationship between event centrality and posttraumatic stress, with EC observed to be positively associated with both PTS and PTG-maladaptive and adaptive posttraumatic outcomes, respectively. The pathways between high event centrality and these posttraumatic outcomes appear to be differentiated by a range of cognitive factors-most significantly deliberate rumination (positively associated with PTG), intrusive rumination (positively associated with PTS), negative self-cognitions (positively associated with PTS and negatively associated with PTG), and psychological flexibility (negatively associated with PTS). Results that show these cognitive factors to have reduced effect on posttraumatic outcomes in cases of low event centrality highlight the clinical significance of these cognitive factors within the EC-PTG/PTS relationships, rather than as independent factors that influence posttraumatic outcomes alone.

Results also revealed that there is little association between index trauma event type (i.e. objective trauma exposure) and posttraumatic outcomes, with robust associations instead observed between posttraumatic outcomes and subjective factors (such as EC and the other discussed cognitive variables); this highlights the power of these subjective factors in the post-trauma experience-it is not exposure to trauma that directly leads to posttraumatic growth or stress, rather an individual's subjective interpretation of the traumatic event leads to posttraumatic outcomes (or the lack thereof). This subjective interpretation of events can be targeted by clinicians via a range of cognitive intervention modalities, with the targets of intervention potentially being the very factors identified by this review as differentiators of the pathways between EC and PTG/PTS (i.e. rumination, negative self-cognitions, and psychological flexibility). As many of the studies included for review were cross-sectional, it would be useful for future research to attempt to manipulate these cognitive factors in participants with high EC. It would also be useful for future research to apply longitudinal designs with short follow up periods (< 9 months) that investigate the EC/PTG relationship to identify if there is a temporal (causal) relationship between the two factors, or if they exist as interacting parallel processes following exposure to trauma.

References

Allbaugh, L. J., Wright, M. O. D., & Folger, S. F. (2016). The role of repetitive thought in determining post-traumatic growth and distress following interpersonal trauma. *Anxiety, Stress, & Coping, 29*(1), 21-37. https://doi.org/10.1080/10615806.2015.1015422

- American Psychiatric Association. (2013). *Diagnostic* and Statistical Manual of Mental Disorders (5th ed.). https://doi.org/10.1176/appi.books.9780890425596
- Bakaitytė, A., Kaniušonytė, G., Truskauskaitė-Kunevičienė, I., & Žukauskienė, R. (2020). Longitudinal investigation of posttraumatic growth in female survivors of intimate partner violence: The role of event centrality and identity exploration. *Journal of Interpersonal Violence*, 37(1),1058-1076. https://doi.org/10.1177/08862605211050110
- Barton, S., Boals, A., & Knowles, L. (2013). Thinking about trauma: The unique contributions of event centrality and posttraumatic cognitions in predicting PTSD and posttraumatic growth. *Journal of Traumatic Stress*, 26(6), 718-726. https://doi.org/10.1002/jts.21863
- Bernard, J. D., Whittles, R. L., Kertz, S. J., & Burke, P. A. (2015). Trauma and event centrality: Valence and incorporation into identity influence well-being more than exposure. *Psychological Trauma: Theory, Research, Practice, and Policy*, 7(1), 11. https://doi.org/10.1037/a0037331
- Berntsen, D., & Rubin, D. C. (2006). The centrality of event scale: A measure of integrating a trauma into one's identity and its relation to post-traumatic stress disorder symptoms. *Behavior Research and Therapy*, 44(2), 219-231.
 - https://doi.org/10.1016%2Fj.brat.2005.01.009
- Blix, I., Birkeland, M. S., Hansen, M. B., & Heir, T. (2015). Posttraumatic growth and centrality of event: A longitudinal study in the aftermath of the 2011 Oslo bombing. *Psychological Trauma: Theory, Research, Practice, and Policy, 7*(1), 18. https://doi.org/10.1037/tra0000006
- Boals, A., & Ruggero, C. (2016). Event centrality prospectively predicts PTSD symptoms. *Anxiety, Stress, & Coping, 29*(5), 533-541. https://doi.org/10.1080/10615806.2015.1080822
- Boals, A., & Schuettler, D. (2011). A double-edged sword: Event centrality, PTSD and posttraumatic growth. *Applied Cognitive Psychology*, 25(5), 817-822. https://doi.org/10.1002/acp.1753
- Boals, A., Steward, J. M., & Schuettler, D. (2010). Advancing our understanding of posttraumatic growth by considering event centrality. *Journal of Loss and Trauma*, 15(6), 518-533.
 - https://doi.org/10.1doi.080/15325024.2010.519271
- Boykin, D. M., Anyanwu, J., Calvin, K., & Orcutt, H. K. (2020). The moderating effect of psychological flexibility on event centrality in determining trauma outcomes. *Psychological Trauma: Theory, Research, Practice, and Policy*, *12*(2), 193. https://doi.org/10.1037/tra0000490

- Brooks, M., Graham-Kevan, N., Lowe, M., & Robinson, S. (2017). Rumination, event centrality, and perceived control as predictors of post-traumatic growth and distress: The Cognitive Growth and Stress model. British Journal of Clinical Psychology, 56(3), 286-302. https://doi.org/10.1111/bjc.12138
- Clarke, J. (2011). What is a systematic review?. Evidence-Based Nursing, 14(3), 64-64. http://dx.doi.org/10.1136/ebn.2011.0049
- Clauss, K., Benfer, N., Thomas, K. N., & Bardeen, J. R. (2021). The interactive effect of event centrality and maladaptive metacognitive beliefs on posttraumatic stress symptoms and posttraumatic growth. *Psychological Trauma: Theory, Research, Practice, and Policy*, *13*(5), 596-602. https://doi.org/10.1037/tra0001010
- Funder, D. C., & Ozer, D. J. (2019). Evaluating effect size in psychological research: Sense and nonsense. *Advances in Methods and Practices in Psychological Science*, *2*(2), 156-168. https://doi.org/10.1177/2515245919847202
- Glad, K. A., Czajkowski, N. O., Dyb, G., & Hafstad, G. S. (2020). Does event centrality mediate the effect of peritraumatic reactions on post-traumatic growth in survivors of a terrorist attack?. European Journal of Psychotraumatology, 11(1), 1766276.
 - https://doi.org/10.1080/20008198.2020.1766276
- Gloster, A. T., Klotsche, J., Chaker, S., Hummel, K. V., & Hoyer, J. (2011). Assessing psychological flexibility: What does it add above and beyond existing constructs? *Psychological Assessment*, 23(4), 970. https://doi.org/10.1037/a0024135
- Groleau, J. M., Calhoun, L. G., Cann, A., & Tedeschi, R. G. (2013). The role of centrality of events in posttraumatic distress and posttraumatic growth. *Psychological Trauma: Theory, Research, Practice, and Policy*, 5(5), 477. https://doi.org/10.1037/a0028809
- Harris, J. D., Quatman, C. E., Manring, M. M., Siston, R. A., & Flanigan, D. C. (2014). How to write a systematic review. *The American Journal of Sports medicine*, 42(11), 2761-2768. https://doi.org/10.1177/0363546513497567
- Kramer, L. B., Whiteman, S. E., Witte, T. K., Silverstein, M. W., & Weathers, F. W. (2020). From trauma to growth: The roles of event centrality, posttraumatic stress symptoms, and deliberate rumination. *Traumatology*, 26(2), 152.
 - https://doi.org/10.1037/trm0000214
- Lancaster, S. L., Klein, K. R., Nadia, C., Szabo, L., & Mogerman, B. (2015). An integrated model of posttraumatic stress and growth. *Journal of Trauma & Dissociation*, 16(4), 399-418.
 - https://doi.org/10.1080/15299732.2015.1009225

Linley, P., Joseph, S., Cooper, R., Harris, S., & Meyer, C. (2003). Positive and negative changes following vicarious exposure to the September 11 terrorist attacks. Journal of Traumatic Stress, 16, 481-485. https://doi.org/10.1023/A:1025710528209

- Onu, D. U., Ugwu, D., & Orjiakor, C. T. (2019). Events centrality moderates the relationship between posttraumatic growth and healthrelated quality of life among people living with HIV. Journal of the Association of Nurses in AIDS Care. *30*(6), 668-674. https:// doi.org/10.1097/JNC.0000000000000094
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... & Moher, D. (2021). Updating guidance for reporting systematic reviews: development of the PRISMA 2020 statement. Journal of Clinical Epidemiology, 134, 103-112. https://doi.org/10.1136/bmj.n71
- Perugini, M., Gallucci, M., & Costantini, G. (2018). A practical primer to power analysis for simple experimental designs. International Review of Social Psychology, 31(1). https://doi.org/10.5334/irsp.181
- Roland, A. G., Currier, J. M., Rojas-Flores, L., & Herrera, S. (2014). Event centrality and posttraumatic outcomes in the context of pervasive violence: A study of teachers in El Salvador. Anxiety, Stress, & Coping, 27(3), 335-346. https://doi.org/10.5334/irsp.181
- Sapach, M. J. T., Horswill, S. C., Parkerson, H. A., Asmundson, G. J., & Carleton, R. N. (2019). Centrality of traumatic events: Double edged sword or matter of valence?. Cognitive Therapy and Research, 43(2), 374-386. https://doi.org/10.1007/s10608-018-9983-9
- Schuettler, D., & Boals, A. (2011). The path to posttraumatic growth versus posttraumatic stress disorder: Contributions of event centrality and coping. Journal of Loss and Trauma, 16(2), 180-194. https://doi.org/10.1080/15325024.2010.519273
- Snilstveit, B., Oliver, S., & Vojtkova, M. (2012). Narrative approaches to systematic review and synthesis of evidence for international development policy and practice. Journal of Development Effectiveness, 4(3), 409-429.
 - https://doi.org/10.1080/19439342.2012.710641
- Taku, K., Tedeschi, R. G., Shakespeare-Finch, J., Krosch, D., David, G., Kehl, D., ... & Calhoun, L. G. (2021). Posttraumatic growth (PTG) and posttraumatic depreciation (PTD) across ten countries: Global validation of the PTG-PTD theoretical model. Personality and Individual Differences, 169, 110222.
 - https://doi.org/10.1016/j.paid.2020.110222
- Tedeschi, R. G., & Calhoun, L. G. (2004). Posttraumatic growth: Conceptual foundations and empirical evidence. *Psychological inquiry*, 15(1), 1-18. http://dx.doi.org/10.1207/s15327965pli1501 01

- Thomas, B. H., Ciliska, D., Dobbins, M., & Micucci, S. (2004). A process for systematically reviewing the literature: Providing the research evidence for public health nursing interventions. Worldviews on Evidence-Based Nursing, 1(3), 176-184.
 - https://doi.org/10.1111/j.1524-475x.2004.04006.x
- Vermeulen, M., Brown, A. D., Raes, F., & Krans, J. (2019). Decreasing event centrality in undergraduates using cognitive bias modification of appraisals. Cognitive Therapy and Research, 43(1), 214-225. https://doi.org/10.1007/s10608-018-9936-3
- Wamser-Nanney, R., Howell, K. H., Schwartz, L. E., & Hasselle, A. J. (2018). The moderating role of trauma type on the relationship between event centrality of the traumatic experience and mental health outcomes. Psychological Trauma: Theory, Research, Practice, and Policy, 10(5), 499. https:// doi.org/10.1037/tra0000344
- Wang, N., Chung, M. C., & Wang, Y. (2020). The relationship between posttraumatic stress disorder, centrality, posttraumatic growth psychiatric co-morbidity among Chinese adolescents. Asian Journal of Psychiatry, 49, 101940. https://doi.org/10.1016/j.ajp.2020.101940
- Whitehead, R., Bates, G., & Elphinstone, B. (2018). Stories of suffering and growth: An investigation of the lived experience of nonattachment. Contemporary Buddhism, 19(2), 448-475.
- http://dx.doi.org/10.1080/14639947.2018.1572311
- Wolfe, T., & Ray, S. (2015). The role of event centrality, coping and social support in resilience and posttraumatic growth among women and men. International Journal of Mental Health Promotion, 78-96. https://

doi.org/10.1080/13642529.2015.1008799

Appendix A

Table 1Secondary search terms

Criteria	Description	Search Terms
Sample	Trauma-exposed individuals	Trauma; traumatic stress; traumatized
Phenomenon of Interest 1	Event Centrality	Event Centrality; Centrality
Phenomenon of Interest 2	Posttraumatic Growth	Posttraumatic Growth; Post traumatic Growth
Design	Any	-
Evaluation	Post Traumatic Growth Inventory	Post Traumatic Growth Inventory; Posttraumatic growth inventory
Evaluation 2	Centrality of Events Scale	Centrality of Events Scale
Research design	Quantitative; mixed methods	-


Appendix B

Table 2Database Search Procedure

Database	Search Terms/String Used	Filters	Note
Google Scholar	(Trauma OR Traumatised OR Traumatic Stress) AND (event centrality OR Centrality) AND (post traumatic growth OR posttraumatic growth) AND ("post traumatic growth inventory" OR "posttraumatic growth inventory") AND ("centrality of events scale")	-	Quotation marks ("") were applied to PTGI and CES search terms in order to search for the exact phrase
Embase	(Trauma OR Traumatised OR Traumatic Stress) AND (event centrality OR Centrality) AND (post traumatic growth OR posttraumatic growth) AND (post traumatic growth inventory OR posttraumatic growth inventory) AND (centrality of events scale)	-	-
Pubmed/ Medline	(Trauma OR Traumatised OR Traumatic Stress) AND (event centrality OR Centrality) AND (post traumatic growth OR posttraumatic growth) AND (post traumatic growth inventory OR posttraumatic growth inventory) AND (centrality of events scale)	"English" was selected for "Language" filter; "Human" was selected for "Subject" filter	-
PsycInfo	(Trauma OR Traumatised OR Traumatic Stress) AND (event centrality OR Centrality) AND (post traumatic growth OR posttraumatic growth) AND (post traumatic growth inventory OR posttraumatic growth inventory) AND (centrality of events scale)	"Posttraumatic growth inventory" selected for "Tests and Measures" filter	-
Web of Science	(Trauma OR Traumatised OR Traumatic Stress) AND (event centrality OR Centrality) AND (post traumatic growth OR posttraumatic growth) AND (post traumatic growth inventory OR posttraumatic growth inventory) AND (centrality of events scale)	"English" applied to "Language" filter; "Articles" applied to "Publication type" filter (meeting abstracts, reviews excluded)	Using "advanced analysis" feature, all non-psychology categories were excluded from search results (e.g. surgery, critical care medicine, orthopedics, dentistry, ophthalmology); as a final step, the search results were re-searched using the term "Centrality", as initially returned results were numerous (n=8,914) and repeatedly met exclusion criteria when the manual database search commenced.

Appendix C

Figure 1
Flowchart of Selection Process



Removed following Title/Abstract screening (n = 627)

Duplicates removed (n = 19)

Papers removed following review in line with inclusion/exclusion criteria (details specified in text) (n = 20)

One full text paper could not be accessed (n = 1)

Appendix D

 Table 3

 Participant characteristics breakdown

						Ethnicity				Gender	der	\forall	Age (years)
Study Authors	Total n	Qualitative description	White	Black	Hispanic	Asian	Multi- racial	Other	Not disclosed	M	Щ	Mean Avg age	SD & Range (if available)
Allbaugh et al. (2016)	163	Young American adults (undergrad students) with interpersonal violence experiences	134	10	∞	4	4	0	3	33	130	18.9	SD = 1.0 Range = 18–22
Bakaitytė, et al. (2020)	217	Lithuanian females exposed to intimate partner violence	1	ı	1	ı	1	1	1	0	217	38.92	SD = 10.29
Barton et al. (2013; Sample A)	500	American Undergraduate students	284	09	06	39	0	27	0	155	345	20.9	SD = 4.03 Range = 18-52
Barton et al. (2013; Sample B)	53	American participants recruited from psychological service	37	S	S	2	0	4	0	0	53	34.12	SD = 9.79 Range = 18-54
Blix et al. (2015)	207	Ministerial employees at time of Oslo bombing	1	ı	1	ı	1	1	1			1	ı
Boals et al. (2011)	929	American undergraduate students	548	149	139	46	0	47	0	322	603	20.1	SD = 3.6 Range = 18-60
Boykin et al. (2020)	125	American college students with a history of trauma-exposure	46	24	0	0	0	55	0	09	92	19.55	SD = 2.03
Brooks et al. (2017)	250	British trauma-exposed sample recruited from various community institutions	220	0	0	0	0	0	30	94	186	35.21	SD = 13.41 Range = 16-79
Clauss,et al. (2021)	139	American college students with a history of trauma-exposure	122	9	П	∞	0	2	0	38	101	19.39	SD = 1.69 Range = 18-27
Glad et al. (2020)	204	Survivors of the Utoya island massacre	,	1	,	1				109	95	19.4	SD = 4.6 Range = 13.3-56.8
Groleau, et al. (2020)	187	American undergraduate students screened for trauma exposure	124	36	4	10	0	13	0	72	115	21.4	SD = 4.95
Kramer et al. (2020)	269	American undergraduate students meeting DSM-5 PTS criterion A	234	22	0	4	0	6	0	99	213	19.08	SD = 1.36 Range = 18-27
Lancaster et al. (2015)	194	American undergraduate students	159	4	3	23	0	5	0	81	113	19.48	SD = 2.23 Range = 18-41
Onu,et al. (2019)	201	Nigerian outpatients managed for HIV	,	ı	ı	ı	1	,	,	63	138	40.1	SD = 10.5

SD = 13.2	SD = 11.76	SD = 3.9 Range = 18-62	SD = 1.65 Range = 1.65	SD = 0.54 Range = 14-17			
42.02	48.01	20.58	19.66	15			22.98
177	230	1,535	339	486	5,141	65.4%	
08	249	791	06	462	2,725	34.6%	
1	0	0	0	0	33	13.9%	
1	10	861	4	0	1,037	19.2% 6.5% 3.6% 13.7% 0.3% 12.8% 13.9% 34.6% 65.4%	
1	0	0	17	0	21	0.3%	
1	41	0	6	948	1,107	13.7%	
	24	0	17	0	291	3.6%	
1	43	0	167	0	526	6.5%	
1	388	1,465	215	0	3,976	49.2%	
Violence-exposed El Salvadoran teachers	American community members meeting DSM-5 PTS criterion A	American undergraduate students	Young American adults who reported trauma experience	Chinese adolescents			
257	479	2,326	429	948	8,077		
Roland et al. (2014)	Sapach et al. (2019)	Schuettler et al. (2011)	Wamser- Nanney (2018).	Wang et al. (2020)	Total	%	Weighted average

Appendix E

Table 4
Results

Author	Year	Sample	Design	Key Results	STROBE Review	Limitations
Allbaugh, L. J., Wright, M.O.D., & Folger, S.F.	2016	Young American adults (undergrad students) with interpersonal violence experiences (N = 163). 79.8% female; 81.6% Caucasian; mean age: 18.9 years)	Cross-sectional	EC positively predicted PTS and PTG. Brooding repetitive thought (RT) and Reflecting RT positively predicted PTS. Deliberate RT positively predicted PTG. EC did not moderate any of the examined relationships.	Highly transparent reporting*	Cross-sectional design; homogenous sample
Bakaityte, A., Kaniusonyte, G., Truskauskaite- Kuneviciene, I., & Zukauskiene, R.	2020	217 Lithuanian females who experienced intimate partner violence (IPV). Mean age: 38.92 years	Longitudinal; 3 data collection periods @, 6-month intervals	Higher levels of PTG at the beginning of the study were positively associated with C, which was interpreted to mean that women who perceived their IPV experience as central to their identity were more likely to have higher levels of PTG. PT significantly increased over time for the participants who experienced IPV more recently. EC was not found to be significantly related to this change in PTG over the study period. Participants who experienced IPV more than 2 years ago reported higher PTG levels at the beginning of the study, but significant changes in PTG did not	Highly transparent reporting	High attrition rate; sample consisted of women that were already accessing psychosocial supports, and may not be representative
Barton, S., Boals, A., & Knowles, L.	2013	Two samples were used and compared. Sample 1 = 500 American undergraduate students (69.0% female; mean age in years: 20.90). Sample 2 = 53 American females seeking psychological treatment mean age: 34.12 years)	Cross-sectional	Results related to the undergraduate sample showed that EC positively predicted both PTG and PTS. An interaction effect was also observed, where posttraumatic cognitions were associated with increased/decreased PTS/PTG when EC was highest. Results related to the treatment-seeking sample were severely constrained by limitations inherent in the data set (which were clearly discussed).	Highly transparent reporting*	Cross sectional design; treatment-seeking sample limited by small sample size and restricted range of event centrality scores
Blix, I., Birkeland, M. S., Hansen, M. B., &	2015	229 ministerial employees who were present at work during the 2011 Oslo bombing attack	Longitudinal: 2 data collection periods (TI= 9 months since attack; TZ=21 months since	Results revealed EC and PTG levels to be stable across time. There was a significant association between EC and PTG at TI and T2, however, the relationship attenuated over time. No timelagged effects were found, which suggests there no long-term causal effect of EC on PTG.	Medium quality - limited descriptive data with respect to sample participants*	Results do not contribute to the literature base with respect to EC and PG development within the immediate aftermath of trauma

Table 4 contd.Results

Author	Year	Sample	Design	Key Results	STROBE Review	Limitations
Boals, A., & Schuettler, D.	2011	929 American undergraduate students (603 female; average age: 20.1)	Cross-sectional	Event centrality was found to positively predict both PTG and PTS, after controlling for a range of factors.	Highly transparent reporting*	Cross-sectional design; homogenous sample
Boykin, D. M., Anyanwu, J., Calvin, K., & Orcutt, H. K.	2020	One-hundred and twenty-five American college students (52% female) with a history of trauma exposure average age: 19.55)	Cross-sectional	A significant interaction was observed between EC and psychological flexibility on PTS severity, where low psychological flexibility was associated with increased PTS severity when EC was high. No interaction effect was observed between EC, psychological flexibility and PTG, but both EC and psychological flexibility were found to (independently) positively predict PTG.	Highly transparent reporting*	Cross-sectional design; homogenous sample
Brooks, M., Graham-Kevan, N., Lowe, M., & Robinson, S	2017	Self-selecting adversity-exposed sample (n=250) recruited from various services across England (74.4% female; average age: 35.2)	Cross-sectional	EC was found to positively predict both PG and PTS. Contrary to the paper's hypothesis, rumination (intrusive or deliberate) was not found to mediate the relationship between EC and posttraumatic outcomes.	Highly transparent reporting	Cross-sectional design; two model fit indices (Comparative Fit Index/CFI; Tucker-Lewis index/TLI) values lacked robustness
Clauss, K., Benfer, N., Thomas, K. N., & Bardeen, J. R.	2021	139 American undergraduate students exposed to at least one traumatic event (73.4% female; average age: 19.39 years).	Cross-sectional	The positive relationship between EC and PTS symptoms became stronger as positive and negative maladaptive metacognitive beliefs increased. The positive relationship between event centrality and PTG was stronger as maladaptive negative metacognitive beliefs decreased.	Highly transparent reporting*	Cross-sectional design; homogenous sample
Glad, K. A., Czajkowski, N. O., Dyb, G., & Hafstad, G. S.	2020	204 survivors of the 2011 massacre on Utoya island. Norway (mean age at the time of the attack: 19.4 years; 47.0% female)	Longitudinal (T1 = 4-5 months since attack; T2 = 14-15 months since attack; T3 = 30-32 months since attack; FY measured @, T2, PTG measured @, T2, PTG measured @, T3)	A positive association was observed between EC and PTG. EC was not observed to mediate longitudinal associations between peritraumatic reactions and later PTG.	Highly transparent reporting	Specificity of the traumatic event (with high press coverage, sample group existing as a community pre-attack) may reduce external validity of findings
Groleau, J. M., Calhoun, L. G., Cann, A., & Tedeschi, R. G.	2013	187 American undergraduate students that had experienced a traumatic event in the last 2 years (61.5% female; average age: 21.4 years)	Cross-sectional	EC was observed to be a unique predictor of both PTG and PTS.	Highly transparent reporting*	Cross-sectional design; homogenous sample

GRAHAM

Appendix E

Table 4
Results

	Year	Sample	Design	Key Results	STROBE Review	Limitations
	2020	269 trauma- exposed American undergraduates (mean age = 19.08 years; 79.2% female)	Cross-sectional	The pathway from EC to PT was observed to be significantly positively mediated by deliberate rumination. A significant positive pathway was also observed between EC, PTS, deliberate rumination and PTG.	Highly transparent reporting*	Cross-sectional design; homogenous sample
	2015	194 American undergraduates (58.2% female; mean age: 19.48 years)	Cross-sectional	The effect of EC on PTG and PTS was found to be significantly mediated by negative cognitions about the self, which positively predicted PTS, and negatively predicted PTG. Deliberate rumination was observed to have a significant, positive, direct effect on PG; the pathway between EC and PTS was observed to be mediated by intrusive rumination.	Highly transparent reporting*	Cross-sectional design; homogenous sample
Onu, D. U., Ugwu, D., & Orjiakor, C. T.	2019	201 Nigerian outpatients diagnosed with HIV for at least 1 year (female: 68.7%; average age: 40.1 years)	Cross-sectional	High EC was observed to have a significant negative association with PTG. An interaction effect was observed that suggested amongst individuals with high EC related to their HIV diagnosis, it was more likely that PTG would yield positive outcomes (with respect to personal relationships and mental health outcomes).	Medium reporting transparency - negative EC/PTG correlation is not discussed in-text*	Cross-sectional design; limited external validity due to specificity of traumatic index event (HIV diagnosis)
Roland, A. G., Currier, J. M., Rojas-Flores, L., & Herrera, S.	2014	257 violence-exposed teachers from El Salvador (68.6% female; average age: 42.02 years)	Cross-sectional	EC uniquely predicted both PTG and PTS after controlling for a range of factors (demographic, depression, and violence exposure).	Highly transparent reporting*	Cross-sectional design; self-selecting sample
	2019	479 American trauma-exposed community members (52.1% male; average age: 48.01 years)	Cross-sectional	Using a modified version of the CES that assessed for traumatic index event valence (i.e. negative or positive cognitive appraisal of the event), positively appraised EC ratings were positively related to PT and inversely related to PTSD; negatively appraised EC ratings were positively related to PTSD and inversely related to PTG. PTG, and the central-negative group reported the most PTSD.	Highly transparent reporting*	Cross-sectional design
Schuettler, D., & Boals, A. (2011).	2011	2,326 American undergraduate students (66% female; mean age=20.58 years)	Cross-sectional	EC was observed to be a positive, significant, independent predictor of both EC and PTG after controlling for a range of variables	Highly transparent reporting*	Cross-sectional design; homogenous sample

33

Table 4 contd.
Results

Limitations	Cross-sectional design; homogenous sample	Cross-sectional design
STROBE Review	Highly transparent reporting*	Highly transparent reporting*
Key Results	EC was positively associated with PTG and PTS; when sexual trauma was the index event, high EC was more strongly associated with PTS, relative to a death of a loved one, index event.	EC was observed to significantly, positively mediate the relationship between PTS and PTG.
Design	Cross-sectional	Cross-sectional
Sample	429 trauma-exposed American college students (78.6% female; mean age= 19.66 years)	948 Chinese adolescents (52% female; average age: 15 years)
Year	2018	2020
Author	Wamser-Namey, R., Howell, K. H., Schwartz, L. E., & Hasselle, A. J.	Wang, N., Chung, M. C., & Wang, Y.

Appendix F

 Table 4

 Breakdown of results related to aspects of cognition as differentiators of PTG/PTS pathways

Author	Analysis Type	Cognitive Phenomena	Relationship with PTG	Relationship with PTS	Influence of EC	Note
,		Brooding rumination	•	Positive direct relationship		EC was not observed
Allbaugh et al. (2016)	Moderation	Reflecting rumination		Positive direct relationship	ı	to moderate any of the
,		Deliberate rumination	Positive direct relationship	1	1	relationships investigated
Barton et al. (2013)	Moderation	Posttraumatic cognitions (PTC)	Negative direct relationship	Positive direct relationship; Significant PTC x EC interaction effect	High PTC and high EC increased PTS; PTC did not significantly predict PTG when EC was low	PTC defined as 'negative cognitions about the self, negative cognitions about the world, and self-blame'
Boykin et al. (2020)	Moderation	Psychological flexibility (PF)	Positive direct relationship; No PF x EC interaction effect on PTG	Negative direct relationship; Significant PF x EC interaction efect	High EC and Low PF increased PTS	PF defined as 'the ability to persist in a behavior despite uges to do otherwise'
		Deliberate rumination (DR)	Positive direct relationship	1	,	
Lancaster et al. (2015)	Mediation	Intrusive rumination (IR)		Positive direct relationship	IR observed to mediate the relationship be- tween EC and PTS	
		Negative self-cognitions (NSC)	Negative direct relationship	Positive direct relationship	NSC observed to mediate the relationship between EC and PTS/PTG	
10 40 00110		Positive metacognitive beliefs (PMB)	•	Significant PMB x EC interaction effect	High PMB and High EC increased PTS	
(2021)	Moderation	Negative metacognitive beliefs (NMB)	No direct relationship; Significant NMB x EC interaction effect	Positive direct relationship; Significant NMB x EC interaction effect	High EC and Low NMB increased PTG; High EC and High NMB increased PTS	NMB involves intrusive rumination
Kramer et al., (2020)	Mediation	Deliberate rumination (DR)	Positive direct relationship	,	DR observed to mediate the relationship be- tween EC and PTG	PTS found to have a small, positive effect on DR in a sequential mediational model chain
Brooks et al		Intrusive rumination (IR)	ı	Positive direct relationship	EC mediates relationship between IR and PTG/PTS	
(2017)	Mediation	Deliberate rumination (DR)			EC found to have a small, positive effect on DR in a sequential mediational model chain	
is on setocibui	Legimondo energia el mante na contrata la contrata la contrata de la contrata del contrata de la contrata de la contrata del contrata de la contrata del contrata de la contrata de la contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata de la contrata del cont	and observed				

⁻ indicates no significant results were observed

Embodied Reflection: Emerging Adult Women's Experience in Front of the Mirror

Koret Munguldar¹, Anne Pang², Elia T. Goffi¹, Miriam Steele¹

¹Center for Attachment Research, New School for Social Research ²Barnard College of Columbia University

Emerging adulthood, the ages between 18 to 25, is a unique period for the development of a woman's body image. Attachment relationships that are formed in early childhood have implications for body image development later in emerging adulthood. Especially for young women, this period is unique for the development of the body experience because parental and cultural factors inform embodiment and sense of self. Issues in body image are common in women in their late teens and early twenties. This study reports on a racially diverse sample of 20 emerging adult women (age 18-23) who were interviewed using the Mirror Interview (MI) (Buhl-Nielsen, 2006). Data were examined using reflexive thematic analysis. The results of the analysis revealed five separate themes: 1) pressure to adhere to the Western body ideal, 2) parental influence with the sub-themes a) modeling after the parents, and, b) the influence of parental attitudes towards the child's body, 3) discomfort with one's reflection, 4) the need to continually change the body, and, 5) moving towards acceptance. The primary implication of the study is that emerging adult women experience a variety of complex attitudes towards their own bodies. The way that adult women relate to cultural ideals and their parents' ideals plays a role in their embodied experience. The results around self-objectification, versus accepting the body as is, have importance in today's world, where young women are challenged with reflecting on their self-image on a day-to-day basis. Our study expands upon body image literature by providing rich first-hand accounts of women's experiences.

Keywords: embodiment, body image, emerging adulthood, women, mirror interview

Author Note

Koret Munguldar https://orcid.org/0000-0003-0868-2010 Anne Pang https://orcid.org/0000-0003-1351-0395 Elia T. Goffi https://orcid.org/0000-0002-2723-913X

We have no known conflict of interest to disclose.

Correspondence concerning this article should be addressed to

Koret Munguldar, New School for Social Research, 80 5th Avenue, New York, NY 10011, United States.

Attachment Lays the Foundation for Embodiment and Body Image

Attachment theory suggests that the quality of the emotional and physical attunement a child receives from their caregiver heavily influences the child's sense of self (Duschinsky, 2020; Fonagy, 2002). The mother has been theorized as the infant's first 'mirror' as she interacts with her baby and provides affect attunement. When she reflects the infant's emotions back to them, the infant can differentiate the self and others through establishing body boundaries (Winnicott, 1971). If there is a lack of affect attunement between the mother and the infant, the child can form insecure attachments, which can manifest later in life as issues in poor boundaries, diffuse sense of self, dissociation, and difficulties in perspective taking (Cook et al., 2005).

A child's experience of coming into being, coupled with their understanding of self-worth transmitted by their attachment figures, becomes integral to the individual's embodiment as it develops through adolescence and emerging adulthood (Fonagy, 2002). Caregivers thus lay the foundation for their child's bodily sense of self through healthy attachment and preverbal affect attunement (Stern, 1985). In the long term, the quality of parental care and acceptance can be a protective or risk factor for body satisfaction and the internalization of cultural messages about the body, which are particularly salient for young women (Kernberg et al., 2006; Patton et al., 2014).

Embodiment and body image are interrelated concepts. While body image refers to the cognitive attitudes one has about their body appearance, embodiment describes how one engages with the social world through the body's sensory experiences and stored memories (Katznelson et al., 2021). Embodiment, in essence, is the experience and expression of the sensations, states and consciousness through the body—allowing for a dynamic play between the mind, body, and environment, in which the body serves as the conduit. Healthy embodiment involves a continuous oscillation and coordination between the "self-as-felt" (first-person perspective of the body) and "self-as-seen" (third-person perspective) that lays the foundation of self-experience (Buhl-Nielsen, 2006).

Research demonstrates a correlation between attachment, body image, and media internalization. Abbate-Daga et al. (2010) found that among a sample of people with anorexia nervosa or bulimia nervosa, all presented with an insecure attachment style. Furthermore, the need for approval (an element of attachment insecurity) was found to be the strongest predictor of body dissatisfaction in this sample. Another study of women with eating disorders found that maternal care was negatively associated with body dissatisfaction. Paternal care was indirectly associated with body dissatisfaction, and attachment anxiety and media internalization were found to mediate this relationship, suggesting that women who recollected their fathers as less caring had higher levels of attachment anxiety and greater internalization of the media (Grenon et al., 2016).

Current research on embodiment and attachment primarily uses quantitative self-report questionnaires (Knafo, 2016) such as the Objectified Body Consciousness Scale (McKinley & Hyde, 1996), Experiences in Close Relationships Scale (Brennan & Shaver, 1995), and Sociocultural Attitudes Toward Appearance Questionnaire (Thompson et al., 2004) to body image experience. This study uses a unique interview format, the Mirror Interview (MI; Kernberg et al., 2006), that activates attachment relationships through an embodied self-reflection process and qualitatively explores the influence of parents and culture on body image.

Embodiment in Emerging Adult Women

Following adolescence, emerging adult women expe-

rience high body surveillance (i.e., viewing oneself as an outside observer) and self-objectification (i.e., viewing oneself as an object to be evaluated; Cary et al., 2021; Frederikson & Roberts, 1997; McKinley & Hyde, 1996; Vangeel et al., 2018). Given the heightened body consciousness adolescents experience, issues regarding the body are likely to carry into emerging adulthood (Kilpela et al., 2015; Pope et al., 2014). However, since emerging adulthood is full of new pursuits and realities in the areas of love, work, and worldviews, there are also changes in women's self and body experiences (Arnett, 2000). Emerging adult women in a study exploring distress described themselves as "living close to the edge" (Wiklund et al., 2014, p.5) where they have an embodied experience of stress, feel not good enough, physically feel like collapsing, socially feel like losing control, and existentially feel like giving up. Most of the research on women's embodiment has been conducted with regard to body dissatisfaction, disordered eating, and the negative ways women inhabit their bodies (Burnette et al., 2017; Piran, 2016; Stice & Whitenton, 2002; Verschuren et al., 2020). While these topics are critical, there is less research that captures the broader spectrum of bodily experiences.

Qualitatively exploring embodiment in emerging adult women is important since adolescent girls are more likely to have body image concerns, and this type of exploration allows researchers to track the trajectory of body experience from adolescence to emerging adulthood while considering similarities and differences between the two life periods (Wertheim & Paxton, 2011; Jung & Peterson, 2007). Moreover, understanding women's embodied experiences can inspire work towards positive embodiment in the future—an outcome that is particularly important in our current world that sexualizes and objectifies women.

Cultural Influences on Embodiment

While attachment relationships lay the foundation for embodiment and body image, culture also plays a critical role. The tendency in Western cultures to define a woman by her body can lead to self-objectification (Chrisler & Johnston-Robledo, 2018). Objectification theory posits that women are acculturated to internalize an observer's perspective as the primary view of their physical selves, which may include the internalization of a sexualized self-view (Fredrickson & Roberts, 1997; Moradi & Huang, 2008; Ward, 2016). These forces lead to self-monitoring, causing women to engage in repetitive body-improvement projects and beautification practices that can defy the historicity of the body (Bordo, 2003; Chrisler & Johnston-Robledo, 2018). Self-objectification has been studied in numerous populations of women and is associated with body shame, appearance anxiety,

disordered eating, self-surveillance, and diminished cognitive performance (Calogero et al., 2011; Fredrickson & Roberts, 1997; Moradi & Huang, 2008; Schaefer et al., 2018). A study examining the situational effects of self-objectification found that college-aged women who anticipated interacting with a male rather than a female had significantly greater body shame and social physique anxiety (Calogero, 2004). In sum, though the study did not account for potential differences based on sexual orientation, women's embodied practices and their sense of being reflects this social structure.

The tripartite model proposes that media, peers, and parents are the three main influences that contribute to the development of body image and eating disturbances because they transmit values regarding ideal beauty, weight, fashion, food, and gender roles (Levine & Harrison, 2009; van den Berg et al., 2002). Appearance ideals involve multiple aspects such as weight, appearance, skin color, skin texture, hair color, and clothing (Pope et al., 2014). While these appearance ideals are promulgated by the media, they can be either reinforced or weakened by peers and parents (Knafo, 2016; van den Berg et al., 2002).

In Westernized cultures, privileging thinness, fitness, and Anglo-Saxon features over other aesthetic forms, can profoundly impact the body image of women (Rubin et al., 2004). A study of girls aged 14 to 16 found that identifying with media images of thin models and internalizing thinness as a personal goal predicted body dissatisfaction (Bell & Dittmar, 2011). Another study examining social media influences in college-aged women found that comparisons with those viewed as superior to oneself were the most common type of comparison made and were most strongly linked to negative body image (Fardouly et al., 2017). In the age of social media, individuals' degree of body image and eating concerns are found to be positively correlated with engagement in activities such as photo-sharing, photo-commenting, and viewing "thinspiration" or "fitspiration" images (Rodgers & Melioli, 2016).

Western ideals have colonized beauty in various locations around the world such as Russia, Central Africa, and Fiji, due to the importation, exportation, and marketing of Western beauty (Bordo, 2003; Orbach, 2009; Steikunaite, 2011). This phenomenon can deeply impact the body image of ethnic minorities, immigrants, and people around the globe whose bodies have been deemed unattractive by Anglo-Saxon norms (Bordo, 2003). One manifestation of the colonization of Western beauty is colorism, in which features associated with White people such as light skin, straight noses, and straight hair represent beauty, while features associated with ethnic minorities such as dark skin, broad noses, and kinky hair represent ugliness (Hunter, 2005).

Acculturation describes the process in which the individual adapts to the culture of the country they relocate to and undergoes a change in beliefs and attitudes to acclimate to the host country (Barry, 2002). Acculturative stress has been shown to predict body image issues among young immigrants (Berry, 2006; Kroon van Diest et al., 2014; Menon et al., 2012). In the present study, half of the participants were international college students. For ethnic minorities and immigrants who face Western beauty standards, acculturation and intersectional identities can impact their self and body experience. Specifically, immigration can uniquely impact one's body image, and the impact depends on the level of acculturation (Saghir & Hyland, 2017; Soh et al., 2006).

The Mirror Experience

Herein we used a novel paradigm called the Mirror Interview (Kernberg et al., 2006) to explore embodiment and body image in college students and to capture the cultural and parental matters that arise upon reflection of the body (Kernberg et al., 2006). Gazing at one's reflection in the mirror requires reflecting on what one simultaneously sees and feels, in addition to reflecting on what others may see and feel, thus eliciting emotionally-charged responses (Buhl-Nielsen, 2006; Sommerfeld et al., 2017). The MI is based on the Mirror Paradigm (Kernberg, 1987), initially developed as a procedure to observe mother-infant interactions. During the MI, the participant looks at their reflection in front of a body length mirror while the researcher asks about the participants' feelings about their bodies, selves, and the influence of caregivers (McBirney-Goc, 2016).

The MI assesses both embodiment and body image, which enables the researcher to capture self-experience with a wider lens and thus has an advantage over self-reports or face-to-face interviews. The MI's profound method of assessing the embodied self is consistent with the psychoanalytic thought that the self is affective and inseparable from the body rather than purely cognitive (Ensink et al. 2016). One study using the MI with people with anorexia nervosa demonstrated that difficulties in affective experiences of embodiment were related to attachment insecurity and self-objectification (Katznelson et al., 2021). These findings indicated that participants' overall parental and cultural influences inform their relationship with their bodies (Buhl-Nielsen, 2017; Buhl-Nielsen & Kernberg, 2015; Ensink et al., 2016; Erdem, 2019; Kahya & Munguldar, 2021; Knafo, 2016; McBirney-Goc, 2016; Munguldar et al., 2020; Muzi et al., 2021). Traditionally, the MI is coded based on a manual and yields quantitative scores on multiple dimensions such as cognition, self-worth, and nonverbal behavior. However, the present study takes a different approach and utilizes the MI qualitatively.

The Present Study

The purpose of this study was to advance the exploration of embodiment and body image in emerging adulthood women. Specifically, we aimed to examine the factors that affect body image and young women's embodied affective experience as they looked at their reflection in the mirror.

Attachment relationships and culture influence how emerging adult women feel in their bodies and view themselves in the third person. For this reason, the present study utilized the MI as it has been shown to facilitate (a) the process of integrating the self-as-subject and self-as-object (a foundation of women's self and body experience), (b) activate attachment representations, and (c) elicit reflections on one's internalized body ideals. Embodiment and body image were explored via an inductive thematic analysis; thus, no specific hypotheses were tested. This inductive approach, in addition to the diversity of the sample, are unique contributions to the literature on body image in emerging adulthood. Inductive inquiry allows responses to be flexibly mapped onto existing constructs in the literature while allowing novel nuances in these constructs to emerge (Bingham & Witkowsky, 2022). In other words, when analyzing the data the researchers did not use specific embodiment and body image related concepts as categories to fit the data into. This is particularly important given the potential for cultural differences in body image representations that may remain uncharacterized. The study provides a novel way to explore the embodied experience of a diverse sample of emerging adult women and characterizes their lived experiences as they reflect on how they feel, what they see, and what they wish to see.

Method

Participants

Twenty English-speaking participants aged 18 to 23 (M = 20.2; SD = 1.4) were included in this study. The inclusion criteria were that participants speak English fluently and be over age 18. Participants were both American (n = 10; 50%) and international undergraduate students (n = 10; 50%). The sample included a diverse group of students from the United States, China, Egypt, India, Jamaica, Kazakhstan, South Korea, The Dominican Republic, and Venezuela. Participants were instructed to choose all the racial/ethnic groups that applied to them. With respect to race and ethnicity, participants identified themselves as Asian or Asian American (n = 6; 30%), Non-Hispanic White or Euro-American (n = 5; 25%), Latinx or Hispanic American (n = 4; 20%), Black, Afro-Caribbean, or African American (n = 3; 15%), Middle Eastern or Arab American (n = 2; 10%), and Biracial Asian and European (n = 1; 5%). Two participants indicated having a physical illness (one person indicated a history of asthma and migraine, one-person reported a history of Irritable Bowel Syndrome [IBS]), and five indicated having a psychological condition (two people self-reported a history of anxiety, two self-reported depression, and one reported a history of obsessive compulsive disorder). Given that emerging adults are at a high risk for developing psychological disorders, with 1 in 3 young adults experiencing a mental illness in the U.S. (National Alliance on Mental Illness, 2023), participants who disclosed having a history of a psychological condition were included in the sample for the purposes of inclusivity and representativeness.

Procedure

Participants were recruited through online forums and flyers posted at community centers and colleges in New York City. Prior to the study, participants were told that the study was investigating the self and body experience. Participants received \$20 gift cards for taking part in the study. Ethical approval was obtained by the IRB (protocol #2018-1084) at The New School for Social Research. Before participating in the study, participants were given informed consent forms explaining the risks and benefits and the confidentiality policy. Participants were informed that they could end their participation at any time during the research process and, given the sensitive nature of the study, were given opportunities to take breaks as needed. The interviews were conducted by the principal researcher in-person at the research lab at The New School for Social Research. The interviews took place in a quiet room that included a full-length mirror and two video cameras. Each interview lasted approximately 20 minutes (range 10-40 minutes). At the end of the interview, the researcher conducted a brief debriefing with the participants and answered any questions that they had on the process. While some participants indicated feeling uncomfortable during the interview, others noted feeling curious and engaged in the process. To support participants' psychological well-being they were given a list of mental health clinics. The recorded interviews were transcribed verbatim by the research assistants and all of the participants' names and personal details were redacted.

Data Collection

Data was collected using the MI (Buhl-Nielsen, 2006). Participants were asked to stand in front of the mirror and look at themselves while answering the questions. Participants were not given any other instructions as to their use of the space. The interviewer sat behind the participant so that they were not visible to the participant in the reflection in the mirror. Participants were

first asked to take a moment and share what they saw. They were then asked a series of questions, such as "Do you like looking at yourself in the mirror?"; "Do you feel your mother/father has influenced the way you feel about your body?"; "Do you feel that the image in the mirror reflects who you are?"; "How have you felt standing and seeing yourself in the mirror?" (see Appendix for full list of MI questions). The interviewer probed the questions as necessary to elicit a detailed account of the participant's internal experiences.

Data Analysis

The study used reflexive thematic analysis based on Braun and Clarke's six-phase guide to thematic analysis (Braun & Clarke, 2013, 2019). This method was selected because it offers epistemological flexibility, an approach not bound by pre-existing theoretical orientations. Further, as the purpose was not to generate a new theory but to examine patterns and meanings within the data, the reflexive thematic analysis approach was decided as the best fit (Braun & Clarke, 2019). The analysis was conducted by following the recommended steps outlined by Braun and Clarke (2013). The data was coded using Dedoose (2016), an online coding system for qualitative research. The research analysis was conducted by the principal researcher and her team of five research assistants. In order to maintain rigor, the coders engaged in reflexivity and discussed the ways in which their identities could impact their interpretation of the data. The consensus coder was the principal researcher and reached the final code based on discussion.

The interviews were first transcribed verbatim by the research assistants and then were shared with the research team consisting of research assistants and the principal investigator. Each research team member re-read the data to fully immerse themselves and to understand the breadth of the content. In this familiarization process, researchers individually searched for broad patterns and meanings and took notes to share with the group. In the second phase, the researchers worked systematically through the entire data set and they individually generated short codes. Then, the researchers met to review the potential short codes and generated an initial list of 15 short codes such as "perfection," "positive maternal impact," "negative maternal impact," "media influence," "comparison with peers," "Western ideal," and "body acceptance." The final list of the short codes were transferred to Dedoose (2016) and the whole dataset was marked with the initial short codes. The transcriptions were distributed equally amongst the researchers and each researcher coded their own sample. Then, the group had a discussion and reviewed each others' coding to ensure reliability. In the third phase, the research team analyzed the short codes together and aggregated

them into an initial list of seven sub-themes. The defining aspect of each theme was written down (e.g., the theme "Parental Influence" was created which described positive and negative influences from the parent's behavioral modeling, process of individuation and enmeshment, and the influence of verbal comments made by the parents on their child's body). In the fourth phase, the whole dataset was reviewed again and some of the overlapping themes were collapsed, generating five themes. In the analysis, the researchers considered both the quote's semantic content and latent content. Finally, vivid examples from the data set were chosen to provide a meaningful narrative.

Results

In this exploratory analysis, five themes were identified (see Table 1): (1) pressure to adhere to the western body ideal, (2) parental influence, with the subthemes (a) modeling after the parents and (b) the influence of parental attitudes towards their child's body, (3) the need to continually change the body, (4) concerns about body perception, and (5) moving towards acceptance.

Table 1 *Theme Description*

Theme	Description
Pressure to Adhere to the Western Body Ideal	Feeling inadequate in light of cultural beauty standards and internalized cultural expectations
Parental Influence	
a) Modeling After the Parents	a) Comparison with the mother's body and modeling after the mother's attitude towards her own body
b) The Influence of Parental Attitudes Toward Their Child's Body	b) Parents' comments both posi- tively and negatively impacted the child's body image and self-talk
Discomfort with One's Reflection	Feeling uneasy while looking at one's body, wanting to hide the body, and feeling discon- nected from one's reflection
The Need to Continually Change the Body	A desire to attain "flawless" looks and a preoccupation with achieving the perfect self and body
Moving Towards Acceptance	Accepting the body through a long, slow, and difficult process; coming to appreciate the body

Theme 1: Pressure to Adhere to the Western Body Ideal

Many participants reported feeling inadequate in light of cultural beauty standards and internalized cultural expectations. They reported feeling dissatisfied with their bodies, especially when there were discrepancies between what they saw in the mirror, what they wished to see, and what is socially desirable.

Participants often expressed a wish to appear skinnier. One participant (age 20, White) said "I happen to have a little bit of a pouch and that bothers me and my arms are a little too big." Similarly, another participant (age 18, African American) stated "I wish everything about myself was smaller ... I wish my nose was smaller and maybe my face was narrower. I wish my chest was smaller and also my thighs." Another participant (age 19, Middle Eastern) said "I have wide hips and I wish it could be smaller." The wish to be smaller seems to stem from cultural messages that idealize and promote thin bodies. Another participant referenced and compared herself to celebrities to judge what is considered beautiful.

A lot of it's [beauty standards] influenced by the media, like what bodies are trendy right now. I would look at celebrities like Britney Spears, for example, and I'd be like well I'm bigger than Britney Spears so then I guess I must be fat (age 20, biracial Asian and European).

Some women cited advantages when they comply with cultural beauty standards or are conventionally attractive.

I recently lost a lot of weight so I feel a lot more confident and I feel like people can see that or can sense it at least and I just feel like lately, I've been getting a lot more attention than I used to get (age 19, Latinx).

Participants who were racial minorities often compared themselves to Western beauty ideals, often wishing to look more Western. They also noted feeling not beautiful in White contexts. One participant (age 22, Asian) reported wishing to change her appearance to fit with Western ideals and was insecure about her Asian facial features:

When I have enough money, I will get my facial features fixed into a more appropriate way, ones that match how I want myself to look on the exterior. Kind of like a skinnier face, maybe like bigger eyes, like a major insecurity for Asian women. Facial features could be a little bit more Western because I guess that that's the mainstream standard of beauty is Western standard.

When asked, "Would that be true if you were living in Asia too?" she responded,

Yeah, that's true as well... a lot of the Asian women I see in the media who I would consider as beautiful, the way that I look is far below

what they look... Asian beauty standards are heavily influenced by Western standards.

The theme further captures external sources that influence participants' body experiences. One participant (age 20, African American) said "I don't like that most of my jeans like the ones that I'm wearing are ripped on the sides because I have thicker thighs and nobody seems to make jeans that are my size." Another participant (age 20, African American) reflected on the messages she received from her dentist about closing the gap in her teeth:

There was a time where I didn't like them... Like every time the dentist would be like "Oh, do you want to get them closed?" I'm like "No no no like this is who I am. Like why would I close them?" Like all of this and then my dad also has a gap and so does his mom my grandma so it's just like this generational thing that's very special.

Theme 2: Parental Influence

The MI has two questions that directly ask about the maternal and paternal influence of one's self and body representation: Is there anything about the way you look that reminds you of your mother? Father? Others? (a) Do you feel your mother/father has influenced the way you feel about your body? (b) Do you feel your mother/father has influenced the way you feel about yourself in general? In response to these questions participants described being influenced by their parents' view of themselves, their comments about their body, and the parents' own body image. While some noted these influences as being critical, some noted these influences as being positive and protective.

Modeling After the Parents

Many women, both when prompted and spontaneously, compared themselves to their mother's body and reported modeling after their mother's attitude towards her body. One woman (age 19) said "I've found her to be perfect in a lot of ways and I think I've always wanted to mirror that... growing up as a teenager I've always kind of envied her body." The modeling behavior was also present in the wish to get cosmetic surgery, as another woman (age 20) pointed out: "She got a breast reduction and so, last year, I got a breast reduction. I'm sure there's a connection there." For women whose bodies are different from their mothers', some reported this difference as a source of insecurity:

She's super thin, weighs like 90 pounds or something. And so, I always thought that I

would be that way because I'm a girl. So then when I went through puberty and I discovered that I was curvier, I was very insecure about that because I was never taught to believe that those were beautiful (age 20).

In addition to comparing oneself to the mother's body, participants also reported modeling after their mother's body image. One woman (age 20) noted, "I've definitely been shaped by her opinions of herself and the way she views her body." Another participant (age 20) said:

She has always been really worried about her weight. I think she doesn't have a very good image of her body weight. So, I think that at least used to influence me a lot because we have very similar bodies.

The following excerpt highlights the intergenerational transmission of self-objectification:

"These women [mother and grandmother] in my life who were always like... we have to look good. You have to keep changing yourself... how can we be better physically?" (age 19)

This participant recognized how having similar bodies to one's mother may lead to psychic enmeshment, and she stated a wish for individuation. She (age 23) shared "When you physically look like your mom, you think that you are her and I'm trying to establish myself as my own person."

The Influence of Parental Attitudes Towards the Child's Body

Another pattern was the impact of parents' comments on participants' body appearance such as their body weight, hair, facial features, and clothing preferences. Participants reported that they were heavily influenced by the direct and indirect comments their parents made. One woman (age 19) noted how she was affected by her father's remarks on her body weight, and feels insecure as a result: "The time when I was struggling a lot like the comments my dad made really affected the way I saw my body."

Another participant (age 23) expressed how her mother influenced her thoughts towards her body such as having self-doubt about looking a certain way, not doing enough to achieve a "better" look, and confusion around her body weight and its meaning. She stated her mother was "always getting me thinking, 'is there a better version of myself out there and I'm not seeking it out?' Am I settling for less if I don't weigh a certain pound or look a certain way?""

Participants also noted feeling conflicted about their personal choices and their parent's requests about their body appearance. As one participant (age 20) shared "My dad never allowed me to cut my hair, so every time I do my hair in a messy way, I remember his voice telling me to get my hair down."

A significant pattern was the parent's role in protecting their child from body dissatisfaction by providing words of encouragement. This role was mostly found in the mother and less uncommonly in the father. Participants cited how impactful their mother's words were. One participant (age 20) said "She's always been like just be confident and take care of yourself. And that goes a long way." Another woman (age 20) said "It's really good to have someone who lifts you up, constantly lifts you up, constantly tells you how beautiful you are, how smart you are, how hardworking you are." Another woman (age 20) said "She has always been my biggest fan."

When participants reported feeling insecure about their body, they reflected on how their parents lifted them up. One woman (age 19) noted, "She always compliments me even if I don't feel like I look my best... she always makes me feel like I look beautiful." Another woman (age 20) reflected on a moment with her father "I was saying I'm fat and none of my clothes fit and he stopped me and he said that my intrinsic value is not about my body."

It seems as though parental encouragement has a lasting impact on how women view themselves. One woman (age 20) noted how her mother's acceptance shapes how she talks to herself:

She would be really understanding so every time I look at myself in the mirror, I don't try to criticize myself so much but rather think how my mom would see it and how kind she would be with me.

Theme 3: Discomfort with One's Reflection

This theme reflects participants' difficulty with their body's visible features and their difficulty engaging with their own reflection in the mirror. The majority of participants referred to their body as if it is a facade to prepare and present to the world. They expressed an intentional use of clothing and accessories to hide the body or appear a certain way. One woman (age 20) said "I like that the jeans actually hide my stomach. I don't feel the need to suck in or anything."

In many cases they expressed how they thought others would view them. This participant (age 22) implied her body insecurity stemmed from comments she received about her body during high school:

Back in high school, my weight was something that a lot of people made fun of me for both at school and at home. It was definitely a very big insecurity for me where I just wouldn't want to look at myself in the mirror.

A number of participants reported feeling uncomfortable due to the nature of the interview which required them to look at their bodies while answering the questions. One woman (age 20) described the experience as "confrontational" while another woman (age 18) found herself looking away from the reflection. Another participant (age 19) said "This mirror kind of makes me look a little short. I've struggled with body image a lot so looking at myself for a long-time kind of makes me uncomfortable." They also reported feeling disconnected from their body. In answer to the question if the image in the mirror reflected who she is, one woman (age 22) responded "They're very detached. Like two opposite people." Another participant (age 21) stated "I feel like I don't always feel so connected to what I see."

Theme 4: The Need to Continually Change the Body

This theme captures participants' reported desire to attain flawless looks. High performance standards and critical self-evaluations are also captured in this theme. The desire to perfect the body and the preoccupation with achieving that perfect self was apparent as the mirror offered an opportunity to contemplate opportunities to change the body and to reflect on how they are seen by others. In reference to their appearance, participants expressed their desire to change how they look, act upon their body, and alter how they presented themselves to the world. These references were most recurrent as all 20 participants spontaneously mentioned the wish to change something about their appearance. Some of these references included wishes such as losing weight, dyeing hair, changing clothing style, and getting cosmetic procedures such as botox, rhinoplasty, double eyelid surgery, and breast implants. One woman (age 21) specified "I wish my waist was a little smaller and my face was a little thinner. If I had \$20,000 more to spend on plastic surgery, I would totally take it up."

Another point that participants shared pertained to perfectionism and its influence on one's self and body experience, starting at adolescence. One woman (age 18) reflected:

I've never been particularly fond of how I looked and I don't really think it was a big deal for me until I started 8th grade. I've always been a perfectionist but then—the perfectionism was kind of projected onto myself and my appearance.

Another participant (age 21) expressed: "Every reflective surface I see, I look at myself, [and] make sure I still look presentable. I never wear casual clothes... I always just look put together."

In addition to always wanting to look presentable, another participant cited the comparative aspect of perfectionism. This theme captures the worry that other people seem to be more desirable and that the self is inadequate. One woman (age 20) said "I could always look better. There's always someone who's more attractive."

Theme 5: Moving Towards Acceptance

Many participants implied that accepting their bodies was a long, slow, and difficult process for various reasons. As one participant (age 19) reflected on this process, she shared that looking at her reflection in the mirror "feels very therapeutic, but it also brings up a lot of emotion; it's also prideful. [I'm] a little happy because it's taken a long time to get me very comfortable with my body." She described starting to accept her body one part at a time: "Just this summer, I [was] really comfortable with wearing a bathing suit, which I wasn't comfortable a long time ago just because of my stomach...I feel like that was the turning point."

In this process, some participants individuated from their parents' influence and attitude towards their body. The same participant contrasted her own body image and that of her mother: "She associated confidence with smaller bodies. I have that same mentality, but I'm trying to shift that."

Appreciating the body's functionality suggested acceptance of one's body as one participant shared (age 20): "I like my hands because they help me to write which is how I communicate with the world." Participants also reflected that becoming comfortable with their bodies is a learning process: "I learned to like my body and become comfortable with it, accept it for what it is because I can't change it if I don't like the way it is and accept the way it is." Another participant (age 19) said "I'm partial to my calves and I'm slowly... learning to love my calves." Another woman (age 20) got teary when she looked in the mirror: "I am in this body. I will always be in this body. And so of course, it's integral to who I am."

Some participants shared that they became more comfortable with their bodies as they became aware of cultural conditioning and were able to accept their natural features. An African American woman (age 20) described her realizations about her choices in presenting her body, stating "I realized I really don't like shaving... when I talk to her [younger sister in middle school] I'm just like 'No, own it. That's your hair. Like it's okay." Further, she explained how she got her hair straightened in America because she had difficulty managing her hair

but eventually embraced it:

I didn't get to appreciate my natural hair and what it means to me and what it means to my sister and how I can show her that she can embrace it too. So when I started to realize that, I cut it all off and she also cut hers off so we were doing it together and just embracing who we are and what we're born with.

Participants recognized that their appearance does not capture the entirety of who they are. One woman (age 18) reflected, "It's hard to pin myself to my appearance. I feel like my appearance doesn't have much to do with who I am." Another woman (age 19) said "All that is in the mirror are looks, but there's so much more to what"s like beyond... all my personality traits, humor, my strength, what I can provide for someone, the connection I have with people. There's just a lot more than looks."

Discussion

This study aimed to explore embodiment and body image in emerging adulthood women. More specifically, we set out to examine the factors that affect body image and the thoughts and feelings that arise in participants as they look at their reflection in the mirror. Data demonstrated a range of experiences surrounding body image, and these were qualitatively coded with reflexive thematic analysis methodology.

The data revealed that participants expressed the desire to be smaller, thinner, and more aligned with Western beauty ideals. Participants reported feeling inadequate in light of cultural beauty standards. Furthermore, participants compared themselves with their mother's bodies and modeled after their body image. Parents' comments about their child's body were shown to be both a protective and harmful factor for the participant's body image and self-talk. While looking in the mirror, some participants felt unease, they wanted to hide their body and felt disconnected from their reflections. They reported a desire and a preoccupation with attaining flawless looks. Finally, the last theme suggests that accepting and appreciating the body was a long, slow, and difficult process.

Cultural Influences

Themes around cultural and parental influences on body image included an abundance of descriptive quotes. Particularly evident was the influence of Western beauty standards, manifested in participants' wishes to be smaller, their tendency to look at celebrities as models of beauty, and their citing the social advantages of

being conventionally attractive. This finding is consistent with extant research suggesting that women perceived that physical attractiveness and thinness resulted in being viewed as "competent, likable, and date-able" (Haworth-Hoeppner, 2000; Rubin et al., 2004).

Specifically, some ethnic minorities suggested feeling inadequate in light of Western beauty standards. One Asian American participant wished to change her facial features so they looked more Western, as she said, "in a more appropriate way." The internalization of Western beauty ideals is linked to body dissatisfaction among Asian American women (Jefferson & Stake, 2009; Nouri et al., 2011), and the internalization of beauty standards and body surveillance are factors that lead Asian Americans to consider cosmetic surgery (Ko & Wei, 2020). The influence of Western beauty standards may be particularly salient among young Asian women; one study found more than 70% of cosmetic procedures in China were performed on high school and college-age women (Wen, 2013). Additionally, the lack of representation in Western media may itself be detrimental to self-image (Mok, 1998). However, there is some evidence that Asian media influences young Chinese women's body image more than Western media (Jackson et al., 2020) and that body image dissatisfaction may be higher among Asian American women who identify more strongly with traditional Asian values (Lau et al., 2006). Additionally, the internalization of beauty standards and body surveillance are potential factors that influence Asian Americans' decisions regarding cosmetic surgery (Ko & Wei, 2020). The influence of Western beauty standards may be particularly salient among young Asian women; one study found more than 70% of cosmetic procedures in China were performed on high school and college-age women (Wen, 2013).

Additionally, African American participants implied that certain infrastructures are complicit, knowingly or unknowingly, in perpetuating rigid beauty standards. One African American woman reflected on how her dentist repeatedly asked if she wanted the gap in her front teeth closed and another African American woman expressed that clothing companies do not make jeans in her size. Such statements convey an awareness of American elitism and experiences of cultural assimilation, often without choice. Western beauty standards are sewn into the fabric of society, and literature demonstrates that African American women tend to evaluate themselves based on Eurocentric ideals (Dunn et al., 2019).

Parental Influences

Another significant influence on participants' embodiment was their parental representations. In the current sample, mothers seemed to have more of an influence on their daughter's body image than fathers. Extant re-

search tends to focus exclusively on maternal influence or not differentiate between the respective contribution of mothers and fathers to their daughters' body image (e.g., Abraczinskasas et al., 2012; Cooley et al., 2008).

Mothers influence their daughters' body image in a variety of ways. Participants were influenced by their mothers' attitudes towards their own body, their mother's bodies, their mother's view of their daughters, and comments made about physical appearance. A study of African American girls suggests that their maternal caregivers may act as beauty standards whom girls measure themselves against (Pope et al., 2014). A main finding in the current study was that both the mother's body-related behaviors, such as cosmetic surgery, and the mother's attitude towards her own body served as models for daughters' attitudes and behaviors towards their own bodies. Recent research also shows that mothers' modeling of weight concerns and comments about their daughters' weight is linked with elevated body image concerns in preadolescent girls (McLaughin et al., 2015). Similarly, Walters et al. (2020) suggest that when mothers express negative thoughts about their own bodies, their daughters develop similar negative attitudes because they think that they look like their mothers. In line with this finding, Arroyo and Andersen (2016) found that mothers' and daughters' self-objectification was positively related to one another. Additionally, daughters reported higher levels of self-objectification when they perceived their mothers to be less caring.

Results regarding paternal representations were multifaceted: some participants reported that their fathers' comments about their bodies made them feel empowered, whereas others reported feeling insecure. Consistent with the finding that paternal influence can have an effect on body-related outcomes later in life, Siegel et al. (2021) reported that fathers' comments about their daughters' weight were linked with weight dissatisfaction and drive for thinness in adolescence and adulthood. Despite this potential for negative influence, research also suggests that fathers can have a role in cultivating positive body image, perhaps by cultivating self-esteem, empowerment, and egalitarian ideas of gender roles (Steinhilber et al., 2020).

Overall, parents have an important role in the development of positive and negative body image. Previous research has demonstrated that memories of both parents being warm and positively expressive has been linked with decreased media internalization, and decreased body dissatisfaction in undergraduate women (Mc-Birney-Goc, 2016). Similarly, the present study's findings provide a narrative around the ways in which young women feel that their parents impact their body image, and this can have implications for their overall mental health.

Objectification & Body Representations

Multiple themes were highlighted as participants looked at their reflections in the mirror. The theme discomfort with one's reflection revealed that participants felt uncomfortable regarding their body's visible features. Moreover, several participants reported discomfort in front of the mirror because it heightened the focus on the body and concomitant thoughts about how it is perceived by others. For example, one participant described the experience as "confrontational," another participant felt herself looking away from her reflection, and another participant explicitly stated that looking in the mirror for an extended period of time made her uncomfortable. Previous studies report similar situational triggers for self-objectification and feelings of body shame such as trying on a swimsuit in a dressing room or even in imaginative contexts like envisioning oneself on the beach or in a dressing room (Frederickson et al., 1998; Tiggemann & Lynch, 2001).

Findings from this study also provided a narrative on how young women experience and internalize the ideal body image put forth by the media. Participants compared themselves with celebrity figures in the media such as Britney Spears, which aligns with the tripartite influence model (van den Berg et al., 2002).

More recently, pictures, videos, and live streams on social media represent mirrors that, like the MI, could trigger self-objectification and uncomfortable feelings. In a study by Bell et al. (2018), a third of the participants' most recent Instagram posts were self-objectifying, and gaining more likes on selfies was associated with the increased posting of objectifying self-images. Our study has shown that young women are constantly preoccupied with their image and are thinking about how they can attain their ideal appearance. The data suggest that young women are perfectionistic towards their bodies. Whenever they engage in self-reflection, their body surveillance increases. This illustrates how objectification may be impacting young women in today's world. One participant expressed, "If I had, like, \$20,000 more to spend on plastic surgery, I would, like, totally take it up." The American Academy of Facial Plastic and Reconstructive Surgery (2013) reported increased requests for surgery such as rhinoplasties due to photo sharing on social media (Walker et al., 2019). Existing literature confirms that this objectifying stance is persistent and pervasive for women (Calogero et al., 2011). In one qualitative investigation, participants who were asked to write about their appearance frequently made comparisons to the norm, evaluative statements of their appearance, and described the body as a "project" to be manipulated (Alleva et al., 2019).

Alongside these themes of objectification ran accounts of body acceptance, described as a long process

of unlearning body shame. This process is often one of individuation, where women evaluate the messages received by their parents and culture as they enter emerging adulthood. As participants developed an awareness around the cultural conditioning, they noted developing body appreciation and this has particular importance for young women of color. For example, one African American participant described how she "owned" her natural hair. This process is described in the literature where the negative effects of acculturation may be mediated by one's level of acceptance of the dominant culture's beauty standards (Pope et al., 2014; Rubin et al., 2004) Women's embracement of their ethnic values, if it supports a multifaceted view of beauty, can be a protective factor against body dissatisfaction. For example, Pope et al. (2014) suggested that African American adolescent girls experience less body dissatisfaction than other racial groups because aspects of African American culture emphasize larger body ideals. Another study with Latina girls ages 14 to 16 revealed an overwhelming consensus that a slender but curvy figure is the ideal body type in Latin culture and that European Americans value unnaturally thin physiques (Romo et al., 2016). While young women's recognition of their own culture's beauty ideals can support their self-esteem and also protect them from internalizing Western beauty ideals and body dissatisfaction (Pope et al., 2014; Rubin et al., 2004), it remains equally important that young women are exposed to multiple possibilities of beauty in order to promote body appreciation that is not tied to a strict body ideal. For instance, a Latina woman who perceives a curvy figure as the desirable body ideal may feel inadequate if her body does not match this standard, highlighting the tie between internalization of cultural ideals and individual body image (Romo et al., 2016). How cultural beauty ideals impact young women varies, and an exploration of what young women perceive as the ideal is vital in remediating their body image issues and nurturing body appreciation.

Overall, the literature has well demonstrated that body appreciation is associated with positive mental health outcomes (Andrew et al., 2015; Ramseyer Winter et al., 2019). Participants expressed that appreciating their personality helped them see themselves beyond their looks. Our qualitative findings extend the literature by illustrating how body appreciation is experienced in young women.

Limitations

Some limitations of the present study warrant consideration. Certain demographic information such as sexuality was not assessed. The racial and ethnic categorizations used were broad and may have resulted in loss of data surrounding the nuances of certain identities.

For example, a distinction was not made between "Asian" and "Asian American," which precluded comparisons between these groups. Considering that sexual and cultural identities play a fundamental role in how one engages and experiences the world through their bodies, the study remains limited in terms of providing a graded analysis of the influence of these on young women's narratives. Secondly, though thematic analysis offers a rich point of entry into the experiences of this understudied topic, it is unable to account for within-subject narrative contradictions, and researcher subjectivity inevitably influences the interpretation of the data. Finally, another limitation of this study was the effects of being videotaped on participants' self-consciousness. While participants did not refer to the presence of the video cameras, the nature of the MI, coupled with the fact that participants were videotaped, could have exacerbated their self-consciousness and negative self-talk.

Implications & Future Research

The present study's qualitative use of the MI to examine the cultural and intergenerational roots of body dissatisfaction is a unique contribution to the existing literature (Kernberg et al., 2006), and the results are relevant to both clinical practice and future research. Overall, the findings demonstrated that, for a young woman, the mirror experience is nuanced and charged with various internalization of messages. It is vital to shed light on the range of thought categories, such as perfectionism, body ideals, and comparisons that can come up in this population's internal world. Additionally, it is important to highlight that healing body image issues is a process, and may not be linear. Clinicians and community advocates who work with young women can expand on these findings by exposing the difficulties that young women can experience on a day to day basis when interacting with their reflection. In therapeutic work, clinicians can benefit from attending to young women's narratives around how parental relationships impact their body image, as the data has illustrated that young women have experiences of internalizing the messages that they have received from their caregivers.

Further, incorporating a cultural lens and helping women develop awareness of the cultural messaging they receive appears critical to the development of body image. Especially among minority populations, these cultural messages are often layered from multiple different sources. The present study highlights the potential effects of these complexities on young women's body image. Young women's connection to their culture and its embodiment-related values may foster resilience in the face of challenging media messages.

Future research may seek to explore the nuances of emerging adult women's experiences in other domains,

such as in virtual media, as the self-as-seen may be highly salient in social media and other virtual domains. Additionally, more research is needed to understand the process of acquiring body acceptance, including the mechanisms, catalysts, or turning points that lead young women to develop acceptance and embrace an appreciation of the cultural and parental imprints on their bodies.

One vital avenue for such acceptance, for instance, has been demonstrated through faith and body image research, wherein women who had reported to have a more secure relationship with their faith were more likely to report body appreciation and love (Tiggeman & Hage, 2019; Akrawi, Potter & Touyz, 2015). Prospective studies can further explore young womens' experience and relationship with faith, and elicit the factors that support a healthy embodiment experience.

Conclusion

The present study has illustrated some ways that young women reflect on their body image. This study included racially and ethnically diverse participants, offering a platform for minority experiences. The qualitative methodology offers a rich, nuanced of participants' experiences, which is a unique contribution to the existing literature. Capturing these experiences in front of a mirror also potentially increases the saliency of body-related issues which is a powerful primer for participants. The main themes in our findings are that participants struggled with looking at their reflections, they had predominantly negative attitudes towards their appearance and body image history, and some did not feel connected to their reflections. This study has also shown that rampant messages that uphold the ideal Western body become activated as women look at themselves and, often, they cannot comfortably look at their own reflection and fully accept their bodies.

In today's world, where reflections are everywhere, especially in social media, body image-related mental health disorders such as eating disorders and body dysmorphia are on the rise (Himanshu et al., 2020). Youth are seeking out methods such as cosmetics, clothing, and surgeries to constantly alter their bodies at a high rate (Markey & Markey, 2009). Emerging adult women are faced with omnipresent messages from culture and parents that impact their embodied sense of self. It is vital to intentionally explore how these messages get reinforced and are lived through the bodies of young women so we can shed light on the pathways of healing.

References

Abbate-Daga, G., Gramaglia, C., Amianto, F., Marzola, E., & Fassino, S. (2010). Attachment insecurity, personality, and body dissatisfaction in eating disorders. *The Journal of Nervous and Mental Disease*, 198(7), 520-524.

https://doi.org/10.1097/NMD.0b013e3181e4c6f7

Abraczinskas, M., Fisak, B., & Barnes, R.D. (2012). The relation between parental influence, body image, and eating behaviors in a nonclinical female sample. *Body Image*, *9*(1), 93-100.

https://doi.org/10.1016/j.bodyim.2011.10.005

Alleva, J.M., Gattario, K.H., Martijn, C., & Lunde, C. (2019). What can my body do vs. how does it look?: A qualitative analysis of young women and men's descriptions of their body functionality or physical appearance. *Body Image*, *31*, 71-80.

https://doi.org/10.1016/j.bodyim.2019.08.008

Andrew, R., Tiggemann, M., & Clark, L. (2015). The protective role of body appreciation against media-induced body dissatisfaction. *Body Image*, *15*, 98–104. https://doi.org/10.1016/j.bodyim.2015.07.005

Arnett, J. J. (2000). Emerging adulthood: A theory of development from the late teens through the twenties. *American Psychologist*, 55(5), 469–480.

https://doi.org/10.1037/0003-066X.55.5.469

Arroyo, A., & Andersen, K. K. (2016). The relationship between mother-daughter self-objectification: Identifying direct, indirect, and conditional direct effects. *Sex Roles*, 74(5–6), 231–241.

https://doi.org/10.1007/s11199-015-0554-1

Barry, D. T. (2002). An ethnic identity scale for East Asian immigrants. *Journal of Immigrant Health*, 4, 87-94. https://doi.org/10.1023/A:1014598509380

Berry, J.W. (2006). Acculturative Stress. In: Wong, P.T.P., Wong, L.C.J. (Eds.), *Handbook of Multicultural Perspectives on Stress and Coping* (pp. 287-298). International and Cultural Psychology. Springer. https://doi-org.ezproxy.cul.columbia.edu/10.1007/0-387-26238-5 12

Bell, B. T., & Dittmar, H. (2011). Does media type matter? The role of identification in adolescent girls' media consumption and the impact of different thin-ideal media on body image. *Sex Roles*, 65(7–8), 478–490. https://doi.org/10.1007/s11199-011-9964-x

Bell, B. T., Cassarly, J. A., & Dunbar, L. (2018). Selfie-objectification: Self-objectification and positive feedback ("likes") are associated with frequency of posting sexually objectifying self-images on social media. *Body Image*, 26, 83–89.

https://doi.org/10.1016/j.bodyim.2018.06.005

- Bingham, A.J., & Witkowsky, P. (2022). Deductive and inductive approaches to qualitative data analysis. In C. Vanover, P. Mihas, & J. Saldaña (Eds.), *Analyzing and interpreting qualitative data: After the interview* (pp. 133-146). SAGE Publications.
- Bordo, S. (2003). *Unbearable weight: Feminism, western culture, and the body*. University of California Press.
- Braun, V. & Clarke, V. (2013). Successful qualitative research: A practical guide for beginners. SAGE Publication.
- Braun, V., & Clarke, V. (2019). Reflecting on reflexive thematic analysis. *Qualitative Research in Sport, Exercise and Health*, 11, 589-597. https://doi.org/10.1080/2159676X.2019.1628806
- Brennan, K. A., & Shaver, P. R. (1995). Dimensions of adult attachment, affect regulation, and romantic relationship functioning. *Personality and Social Psychology Bulletin*, *21*(3), 267-283. https://doi.org/10.1177/0146167295213008
- Buhl-Nielsen, B. (2006). *Mirrors, body image, and self. International Congress Series*, *1286*, 87-94. https://doi.org/10.1016/j.ics.2005.09.149
- Buhl-Nielsen, B. (2017). Has the baby been given back? Insights from the mirror interview (plenary lecture). *Contemporary Psychology and Practice*, 11. http://www.psihologijanis.rs/dpp/arhiva/zbornik12. pdf#page=11
- Buhl-Nielsen, B., & Kernberg, P. (2015). Reflections in the mirror-Body Image and Self. https://www.ipa.world/images/ResearchPapers/146460buhlnielsonref.pdf
- Burnette, C.B., Kwitowski, M.A., & Mazzeo, S.E. (2017). "I don't need people to tell me I'm pretty on social media:" A qualitative study of social media and body image in early adolescent girls. *Body Image*, *23*, 114–125. https://doi.org/10.1016/j.bodyim.2017.09.001
- Calogero, R. M. (2004). A test of objectification theory: The effect of the male gaze on appearance concerns in college women. *Psychology of Women Quarterly*, 28(1), 16–21.
 - https://doi.org/10.1111/j.1471-6402.2004.00118.x
- Calogero, R. M., Tantleff-Dunn, S., & Thompson, J. K. (Eds.). (2011). Self-objectification in women: Causes, consequences, and counteractions. American Psychological Association. https://doi.org/10.1037/12304-000
- Cary, K. M., Maas, M. K., & Nuttall, A. K. (2021). Self-objectification, sexual subjectivity, and identity exploration among emerging adult women. *Self and Identity*, 20(7), 845–853.
 - https://doi.org/10.1080/15298868.2020.1772358
- Chrisler, J. C., & Johnston-Robledo, I. (2018). Woman's embodied self: Feminist perspectives on identity and image. American Psychological Association. https://doi.org/10.1037/0000047-000

- Cook, A., Spinazzola, J., Ford, J., Lanktree, C., Blaustein, M., Cloitre, M., & Van der Kolk, B. (2005). Complex trauma. *Psychiatric Annals*, *35*(5), 390-398.
- Cooley, E., Toray, T., Wang, M. C., & Valdez, N. N. (2008). Maternal effects on daughters' eating pathology and body image. *Eating Behaviors*, *9*(1), 52–61.
 - https://psycnet.apa.org/doi/10.1016/j.eatbeh.2007.03.
- Dunn, C.E., Hood, K.B., & Owens, B.D. (2019). Loving myself through thick and thin: Appearance contingent self-worth, gendered racial microaggressions, and African American women's body appreciation. *Body Image*, 30, 121-126.
 - https://doi.org/10.1016/j.bodyim.2019.06.003
- Duschinsky, R. (2020). *Cornerstones of attachment research*. Oxford University Press. https://doi.org/10.17863/CAM.72018
- Ensink, K., Berthelot, N., Biberdzic, M., & Normandin, L. (2016). The mirror paradigm: Assessing the embodied self in the context of abuse. *Psychoanalytic Psychology*, *33*(3), 389-405.
 - https://psycnet.apa.org/doi/10.1037/pap0000018
- Erdem, C. (2019). The utilization of the Mirror Interview to explore attachment patterns, shame and body representations in adult men. [Unpublished doctoral dissertation]. The New School.
- Fardouly, J., Pinkus, R. T., & Vartanian, L. R. (2017). The impact of appearance comparisons made through social media, traditional media, and in person in women's everyday lives. *Body Image*, 20, 31–39. http://dx.doi.org/10.1016/j.bodyim.2016.11.002
- Fonagy, P., Gergely, G., Jurist, E L., & Target, M. (2002). Affect regulation, mentalization, and the development of the self. Other Press.
 - https://doi.org/10.4324/9780429471643
- Fredrickson, B.L. & Roberts, T. (1997) Objectification theory. *Psychology of Women Quarterly*, 21(2), 173-206. https://doi.org/10.1111/j.1471-6402.1997.tb00108.x
- Grenon, R., Tasca, G. A., Maxwell, H., Balfour, L., Proulx, G., & Bissada, H. (2016). Parental bonds and body dissatisfaction in a clinical sample: the mediating roles of attachment anxiety and media internalization. *Body Image*, 19, 49-56.
 - https://doi.org/10.1016/j.bodyim.2016.08.005
- Haworth-Hoeppner, S. (2000). The critical shapes of body image: The role of culture and family in the production of eating disorders. *Journal of Marriage and Family*, 62(1), 212–227.
 - https://doi.org/10.1111/j.1741-3737.2000.00212.x
- Himanshu, Kaur, A., Kaur, A., & Singla, G. (2020). Rising dysmorphia among adolescents: A cause for concern. *Journal of Family Medicine and Primary Care*, 9(2), 567–570. https://doi.org/10.4103/jfmpc.jfmpc_738_19

- Hunter, M. (2005). *Race, gender, and the politics of skin tone*. Taylor & Francis.
 - https://doi.org/10.4324/9780203620342
- Jackson, T., Cai, L., & Chen, H. (2020). Asian versus Western appearance media influences and changes in body image concerns of young Chinese women: A 12-month prospective study. *Body Image*, 33, 214– 221. https://doi.org/10.1016/j.bodyim.2020.03.008
- Jefferson, D. L., & Stake, J.E. (2009). Appearance self-attitudes of African American and European American women: Media comparisons and internalization of beauty ideals. *Psychology of Women Quarterly*, 33(4), 396-409.
 - https://doi.org/10.1111/j.1471-6402.2009.01517.x
- Jung, J., & Peterson, M. (2007). Body dissatisfaction and patterns of media use among preadolescent children. Family and Consumer Sciences Research Journal, 36(1), 40-54.
 - https://doi.org/10.1177/1077727X07303486
- Kahya, Y. & Munguldar, K. (2021, July 19). Adverse Childhood Experiences Predict Self-Alienation in a Sample of Turkish Adolescents [Poster presentation]. 32nd International Congress of Psychology, Prague, Czech Republic.
- Katznelson, H., Daniel, S. I. F., Poulsen, S., Lunn, S., Buhl-Nielsen, B., & Sjögren, J. M. (2021). Disturbances in the experiences of embodiment related to attachment, mentalization and self-objectification in anorexia nervosa. *Journal of Eating Disorders*, *9*(1), 137. https://doi.org/10.1186/s40337-021-00463-z
- Kernberg, P. (1987). Mother-child interaction and mirror behaviour. *Infant Mental Health Journal*, *8*, 329–339. https://doi.org/10.1002/1097-0355(198724)8:4%3C32 9::AID-IMHJ2280080402%3E3.0.CO;2-F
- Kernberg, P. F., & Buhl-Nielsen, B., & Normandin, L. (2006). *Beyond the reflection: The role of the mirror paradigm in clinical practice*. Other Press. https://doi.org/10.1111/j.1745-8315.2008.00081-06.x
- Kilpela, L.S., Becker, C.B., Wesley, N., & Stewart, T. (2015). Body image in adult women: Moving beyond the younger years. *Advances in Eating Disorders*, *3*(2), 144–164. https://doi.org/10.1080/21662630.2015.101 2728
- Knafo, H. (2016). The intergenerational transmission of body image: A study of the mirror interviews of five-to seven-year-old girls and their mothers. *The New School Psychology Bulletin*, 13(2), 1-16.
- Kroon van Diest, A. M., Tartakovsky, M., Stachon, C., Pettit, J. W., & Perez, M. (2014). The relationship between acculturative stress and eating disorder symptoms: Is it unique from general life stress? *Journal of Behavioral Medicine*, *37*(3), 445-457. https://doi.org/ 10.1007/s10865-013-9498-5

- Lau, A. S. M., Lum, S. K., Chronister, K. M., & Forrest, L. (2006). Asian American college women's body image: A pilot study. *Cultural Diversity and Ethnic Minority Psychology*, *12*(2), 259–274. https://doi.org/10.1037/1099-9809.12.2.259
- Levine, M. P., & Harrison, K. (2009). Media effects on body image and eating disorders. In: J. Bryant & M. B. Oliver (Eds.), *Media effects: Advances in theory and research* (3rd ed., pp. 490–516). Routledge.
- Markey, C. N., & Markey, P. M. (2009). Correlates of young women's interest in obtaining cosmetic surgery. *Sex Roles*, *61*(3), 158–166.
 - https://doi.org/10.1007/s11199-009-9625-5
- McBirney-Goc, E. (2016). Utilization of the Mirror Interview to explore the influences of parents and objectification on the body and disordered eating behaviors. *The New School Psychology Bulletin*, 13, 17-31.
- McKinley, N. M., & Hyde, J. S. (1996). The objectified body consciousness scale: Development and validation. *Psychology of Women Quarterly*, 20(2), 181-215.
- McLaughlin, E. A., Belon, K. E., Smith, J. E., & Erickson, S. J. (2015). Mothers' and daughters' beliefs about factors affecting preadolescent girls' body satisfaction. *Body Image*, 13, 9–17.
 - https://doi.org/10.1016/j.bodyim.2014.11.002
- Menon, C. V., & Harter, S. L. (2012). Examining the impact of acculturative stress on body image disturbance among Hispanic college students. *Cultural Diversity and Ethnic Minority Psychology*, 18(3), 239–246. https://doi.org/10.1037/a0028638
- Mok, T.A. (1998). Getting the message: Media images and stereotypes and their effect on Asian Americans. *Cultural Diversity and Mental Health*, *4*(3), 185–202. https://doi.org/10.1037/1099-9809.4.3.185
- Moradi, B., & Huang, Y.-P. (2008). Objectification theory and psychology of women: A decade of advances and future directions. *Psychology of Women Quarterly*, 32(4), 377–398.
- https://doi.org/10.1111/j.1471-6402.2008.00452.x
- Munguldar, K., Kahya. Y., Steele, H., & Steele, M. (2020, February 7). Early childhood adversity and alienation: The role of self-compassion and attachment security as mediating factors [Poster presentation]. Miami International Child and Adolescent Mental Health (MICAMH) Conference, Miami, FL, United States.
- Muzi, S., Madera, F., Boiardo, A.G. (2021). A narrative review on clinical and research applications of the Mirror Paradigm: Body image, psychopathology, and attachment. *Mediterranean Journal of Clinical Psychology*, 9(2).
- https://doi.org/10.13129/2282-1619/mjcp-3025
- National Alliance on Mental Illness. (2023, April). *Mental health by the numbers*. https://www.nami.org/mhstats

- Nouri, M., Hill, L. G., & Orrell-Valente, J. K. (2011). Media exposure, internalization of the thin ideal, and body dissatisfaction: Comparing Asian American and European American college females. *Body Image*, 8(4), 366-372.
 - https://doi.org/10.1016/j.bodyim.2011.05.008
- Orbach, S. (2009). Bodies. Profile Books.
- Patton, S. C., Beaujean, A. A., & Benedict, H.E. (2014). Parental bonds, attachmentanxiety, media susceptibility, and body dissatisfaction: A mediation model. *Developmental Psychology*, 50(8), 2124-2133. doi:10.1037/a0037111
- Piran, N. (2016). Embodied possibilities and disruptions: The emergence of the experience of embodiment construct from qualitative studies with girls and women. *Body Image*, *18*, 43-60.
 - https://doi.org/10.1016/j.bodyim.2016.04.007
- Pope, M., Corona, R., & Belgrave, F.Z. (2014). Nobody's perfect: A qualitative examination of African American maternal caregivers' and their adolescent girls' perceptions of body image. *Body Image*, *11*(3), 307–317. https://doi.org/10.1016/j.bodyim.2014.04.005
- Ramseyer Winter, V., Gillen, M. M., Cahill, L., Jones, A., & Ward, M. (2019). Body appreciation, anxiety, and depression among a racially diverse sample of women. *Journal of Health Psychology*, *24*(11), 1517–1525. https://doi.org/10.1177/1359105317728575
- Rodgers, R. F., & Melioli, T. (2016). The relationship between body image concerns, eating disorders and internet use, part i: A review of empirical support. *Adolescent Research Review*, *I*(2), 95–119. https://doi.org/10.1007/s40894-015-0016-6
- Romo, L. F., Mireles-Rios, R., & Hurtado, A. (2016). Cultural, media, and peer influences on body beauty perceptions of Mexican American adolescent girls. *Journal of Adolescent Research*, 31(4), 474–501. https://doi.org/10.1177/0743558415594424
- Rubin, L. R., Nemeroff, C. J., & Russo, N. F. (2004). Exploring feminist women's body consciousness. *Psychology of Women Quarterly*, 28(1), 27–37. https://doi.org/10.1111/j.1471-6402.2004.00120.x
- Saghir, S., & Hyland, L. (2017). The effects of immigration and media influence on body image among Pakistani men. *American Journal of Men's Health*, 11(4), 930–940.
 - https://doi.org/10.1177/1557988317698627
- Schaefer, L. M., Burke, N. L., Calogero, R. M., Menzel, J. E., Krawczyk, R., & Thompson, J. K. (2018). Self-objectification, body shame, and disordered eating: Testing a core mediational model of objectification theory among White, Black, and Hispanic women. *Body Image*, 24, 5–12. https://doi.org/10.1016/j.bodyim.2017.10.005

- Siegel, J. A., Ramseyer Winter, V., & Cook, M. (2021). "It really presents a struggle for females, especially my little girl": Exploring fathers' experiences discussing body image with their young daughters. *Body Image*, *36*, 84–94. https://doi.org/10.1016/j.bodyim.2020.11.001
- Soh, N. L., Touyz, S. W., & Surgenor, L. J. (2006). Eating and body image disturbances across cultures: A review. *European Eating Disorders Review*, 14, 54-65. https://doi.org/10.1002/erv.678
- Sommerfeld, E., Bensimon, M., & Lutzman, M. (2017). Minding the gaps: The adolescent's experience in front of the mirror. *Current Psychology*, *36*(1), 76–83. https://doi.org/10.1007/s12144-015-9386-y
- Steikunaite, G. (2011). *The beauty myth... and madness*. New Internationalist. https://newint.org/blog/editors/2011/03/09/beauty-myth-and-madness
- Steinhilber, K.M., Ray, S., Harkins, D.A., Sienkiewicz, M.E., (2020). Father–daughter relationship dynamics & daughters' body image, eating patterns, and empowerment: An exploratory study. *Women & Health*, 60(10), 1083-1094 https://doi.org/10.1080/03630242.2020.1801554
- Stern, D. (1985). The interpersonal world of the infant: A View from psychoanalysis and developmental psychology. Basic Books.
 - https://doi.org/10.4324/9780429482137
- Stice, E., & Whitenton, K. (2002). Risk factors for body dissatisfaction in adolescent girls: A longitudinal investigation. *Developmental Psychology*, 38(5), 669–678. https://psycnet.apa.org/doi/10.1037/0012-1649.38.5.669
- Thompson, J. K., Van Den Berg, P., Roehrig, M., Guarda, A. S., & Heinberg, L. J. (2004). The sociocultural attitudes towards appearance scale-3 (SATAQ-3): Development and validation. *International Journal of Eating Disorders*, *35*(3), 293-304. https://doi.org/10.1002/eat.10257
- Tiggemann, M., & Lynch, J. E. (2001). Body image across the life span in adult women: The role of self-objectification. *Developmental Psychology*, *37*(2), 243–253. https://doi.org/10.1037/0012-1649.37.2.243
- van den Berg, P., Thompson, J. K., Obremski-Brandon, K., & Coovert, M. (2002). The Tripartite Influence model of body image and eating disturbance: A covariance structure modeling investigation testing the mediational role of appearance comparison. *Journal of Psychosomatic Research*, *53*(5), 1007–1020. https://doi.org/10.1016/S0022-3999(02)00499-3
- Walters, K., Chard, C., & Anderson, D. (2020). A qualitative approach to understanding the relationship between mothers' and daughters' body image and physical activity levels. *Journal of Adolescent Research*, 35(5), 665-696.

https://doi.org/10.1177/0743558420920550

- Ward, M. L. (2016), Media and sexualization: State of empirical research. *Journal of Sex Research*, *53*, 560-577. https://doi.org/10.1080/00224499.2016.1142496
- Wen, H. (2013). Buying beauty: Cosmetic surgery in China. Hong Kong University.
- Wertheim, E. H., & Paxton, S. J. (2011). *Body image development in adolescent girls*. American Psychological Association.
- Wiklund, M., Öhman, A., Bengs, C., & Malmgren-Olsson, E.B. (2014). Living close to the edge: Embodied dimensions of distress during emerging adulthood. *Sage Open*, *4*(2), 1-17.
 - https://doi.org/10.1177/2158244014537083
- Winnicott, D.W (1971). Mirror-role of mother and family in child development. In: D. Winnicott (Ed.), *Playing and reality*. Tavistock.

Appendix

The Mirror Interview:

(Kernberg et al., 2006)

- 1. Do you like looking at yourself in the mirror?
- 2. What do you like about the way you look?
- 3. What do you like about what you are wearing?
- 4. What don't you like about the way you look?
- 5. Is there anything about the way you look that reminds you of your mother? Father? Others?
 - a) Do you feel your mother/father has influenced the way you feel about your body?
 - b) Do you feel your mother/father has influenced the way you feel about yourself in general?
- 6. Do you feel that others like you and find you attractive?
 - a) Do you feel loved and cherished?
- 7. Do you feel that the image in the mirror reflects who you are?
 - a) Do you feel that the image in the mirror is fatter or thinner than you actually are?
 - b) Do you feel that the image in the mirror is older or younger than you actually are?
- 8. Do you feel that the image in the mirror reflects how you want to look?
- 9. Do you feel that the image in the mirror has nothing to do with you?
- 10. Do you feel that the image in the mirror can have a life of its own?
 - a) Do you feel that the image in the mirror can move when you are standing still and stand still when you move?
- 11. How have you felt standing and seeing yourself in the mirror?

